

Insects 2006

(includes publications since the last list and some that were not included in the last list)

Compiled by P. Hansen

Arthur, B. J. & Hoy, R. R. (2006). The ability of the parasitoid fly *Ormia ochracea* to distinguish sounds in the vertical plane. *J. Acoust. Soc. Am.*, **120**, 1546-1549.

Bailey, W., MacLeay, C. & Gordon, T. (2006). Acoustic mimicry and disruptive alternative calling tactics in an Australian bushcricket (*Caedicia*: Phaneropterinae: Tettigoniidae: Orthoptera): does mating influence male calling tactic? *Phys. Entomol.*, **31**, 201-210.

Barber, J. R. & Conner, W. E. (2006). Tiger moth responses to a simulated bat attack: timing and duty cycle. *J. Exp. Biol.*, **209**, 2637-2650.

Bateman, P. W. & Fleming, P. A. (2006). Sex, intimidation and severed limbs: the effect of simulated predator attack and limb autotomy on calling and emergence behaviour in the field cricket *Gryllus bimaculatus*. *Behav. Ecol. Sociobiol.*, **59**, 674-681.

Bateman, P. W., Verburgt, L. & Ferguson, J. W. H. (2005). Exposure to male song increases rate of egg development in the cricket *Gryllodes sigillatus*. *Afr. Zool.*, **40**, 323-326.

Bates, D. L. & Fenton, M. B. (1990). Aposematism or startle? Predators learn their responses to the defences of prey. *Can. J. Zool.*, **68**, 49-52.

Berg, A. & Greenfield, M. D. (2005). Sexual selection in insect choruses: Influences of call power and relative timing. *J. Insect Behav.*, **18**, 59-75.

Bernal, X. E., Rand, A. S. & Ryan, M. J. (2006). Acoustic preferences and localization performance of blood-sucking flies (*Corethrella* Coquillett) to tungara frog calls. *Behav. Ecol.*, **17**, 709-715.

Bertram, S. M. & Bowen, M. (2006). Field cricket species differences in the temporal patterns of long-distance mate attraction signals. *Ethology*, **112**, 850-857.

Bertram, S. M. & Warren, P. S. (2005). Trade-offs in signalling components differ with signalling effort. *Anim. Behav.*, **70**, 477-484.

Bertram, S. M., Orozco, S. X. & Bellani, R. (2004). Temporal shifts in conspicuousness: Mate attraction displays of the Texas field cricket, *Gryllus texensis*. *Ethology*, **110**, 963-975.

Bertram, S. M., Schade, J. D. & Elser, J. J. (2006). Signalling and phosphorus: correlations between mate signalling effort and body elemental composition in crickets. *Anim. Behav.*, **72**, 899-907.

Borkent, A. & Belton, P. (2006). Attraction of female *Uranotaenia lowii* (Diptera: Culicidae) to frog calls in Costa Rica. *Can. Entomol.*, **138**, 91-94.

- Brandes, T. S., Naskrecki, P. & Figueroa, H. K. (2006). Using image processing to detect and classify narrow-band cricket and frog calls. *J. Acoust. Soc. Am.*, **120**, 2950-2957.
- Brandt, L. S. E. & Greenfield, M. D. (2004). Condition-dependent traits and the capture of genetic variance in male advertisement song. *J. Evol. Biol.*, **17**, 821-828.
- Braswell, W. E., Birge, L. M. & Howard, D. J. (2006). *Allonemobius shalontaki*, a new cryptic species of ground cricket (Orthoptera: Gryllidae: Nemobiinae) from the southwestern United States. *Ann. Entomol. Soc. Am.*, **99**, 449-456.
- Bridle, J. R., Saldamando, C. I., Koning, W. & Butlin, R. K. (2006). Assortative preferences and discrimination by females against hybrid male song in the grasshoppers *Chorthippus brunneus* and *Chorthippus jacobsi* (Orthoptera: Acrididae). *J. Evol. Biol.*, **19**, 1248-1256.
- Bronsert, M., Bingol, H., Atkins, G. & Stout, J. (2003). Prolonged response to calling songs by the L3 auditory interneuron in female crickets (*Acheta domesticus*): Possible roles in regulating phonotactic threshold and selectiveness for call carrier frequency. *J. Exp. Zool. A.*, **296A**, 72-85.
- Brown, W. D., Smith, A. T., Moskalik, B. & Gabriel, J. (2006). Aggressive contests in house crickets: size, motivation and the information content of aggressive songs. *Anim. Behav.*, **72**, 225-233.
- Buckley, T. R., Cordeiro, M., Marshall, D. C. & Simon, C. (2006). Differentiating between hypotheses of lineage sorting and introgression in New Zealand alpine cicadas (*Maoricicada Dugdale*). *System. Biol.*, **55**(3).
- Chesmore, E. D. & Ohya, E. (2004). Automated identification of field-recorded songs of four British grasshoppers using bioacoustic signal recognition. *Bull. Entomol. Res.*, **94**, 319-330.
- Cocroft, R. B. (2005). Vibrational communication facilitates cooperative foraging in a phloem-feeding insect. *Proc. R. Soc. B.*, **272**, 1023-1029.
- Cocroft, R. B., Shugart, H. J., Konrad, K. T. & Tibbs, K. (2006). Variation in plant substrates and its consequences for insect vibrational communication. *Ethology*, **112**, 779-789.
- Cokl, A., Zorovic, M., Zunic, A. & Virant-Doberlet, M. (2005). Tuning of host plants with vibratory songs of *Nezara viridula* L. (Heteroptera: Pentatomidae). *J. Exp. Biol.*, **208**, 1481-1488.
- Conti, E. & Viglianisi, F. M. (2005). Ecology of the calling song of two Namibian armoured ground crickets, *Acanthoplus longipes* and *Acanthoproctus diadematus* (Orthoptera Tettigoniidae Heteroptera). *Ethol. Ecol. Evol.*, **17**, 261-269.
- Cooley, J. R., Marshall, D. C., Hill, K. B. R. & Simon, C. (2006). Reconstructing asymmetrical reproductive character displacement in a periodical cicada contact zone. *J. Evol. Biol.*, **19**, 855-868.
- Danielson-Francois, A. M., Kelly, J. K. & Greenfield, M. D. (2006). Genotype x environment

- interaction for male attractiveness in an acoustic moth: evidence for plasticity and canalization. *J. Evol. Biol.*, **19**, 532-542.
- Deily, J. A. & Schul, J. (2004). Recognition of calls with exceptionally fast pulse rates: female phonotaxis in the genus *Neoconocephalus* (Orthoptera: Tettigoniidae). *J. Exp. Biol.*, **207**, 3523-3529.
- Deily, J. A. & Schul, J. (2006). Spectral selectivity during phonotaxis: a comparative study in *Neoconocephalus* (Orthoptera: Tettigoniidae). *J. Exp. Biol.*, **209**, 1757-1764.
- Desutter-Grandcolas, L. & Robillard, T. (2003). Phylogeny and the evolution of calling songs in *Gryllus* (Insecta, Orthoptera, Gryllidae). *Zoologica Scripta*, **32**, 173-183.
- Dietrich, C., Schwenker, F. & Palm, G. (2003). Multiple classifier systems for the recognition of Orthoptera songs. *Lecture Notes in Computer Sci.*, **2781**, 474-481.
- Donelson, N. C. & van Staaden, M. J. (2005). Alternate tactics in male bladder grasshoppers *Bullacris membracioides* (Orthoptera: Pneumoridae). *Behaviour*, **142**, 761-778.
- Etges, W. J., Over, K. F., De Oliveira, C. C. & Ritchie, M. G. (2006). Inheritance of courtship song variation among geographically isolated populations of *Drosophila mojavensis*. *Anim. Behav.*, **71**, 1205-1214.
- Farris, H. E., Mason, A. C. & Hoy, R. R. (2004). Identified auditory neurons in the cricket *Gryllus rubens*: temporal processing in calling song sensitive units. *Hear. Res.*, **193**, 121-133.
- Fletcher, L. E., Yack, J. E., Fitzgerald, G. D. & Hoy, R. R. (2006). Vibrational communication in the cherry leaf roller caterpillar *Caloptilia serotinella* (Gracillarioidea: Gracillariidae). *J. Insect Behav.*, **19**, 1-18.
- Forrest, T. G., Lajoie, D. R. & Cusick, D. (2006). Calling songs, duets, and auditory tuning in two cryptic katydids (Tettigoniidae: Phaneropterinae: *Amblycorypha*). *Ann. Entomol. Soc. Am.*, **99**, 978-987.
- Fullard, J. H., Ratcliffe, J. M. & Guignon, C. (2005). Sensory ecology of predator-prey interactions: responses of the AN2 interneuron in the field cricket, *Teleogryllus oceanicus*, to the echolocation calls of sympatric bats. *J. Comp. Physiol. A.*, **191**, 605-618.
- Gaiger, F. & Vanin, S. A. (2006). The elytro-femoral stridulatory apparatus in Curculionidae (Coleoptera), with notes on the acoustic behaviour of *Arniticus hylobioides* (Boheman 1843) and *Erodiscus proximus* (Viana 1959), and thanatosis display in the latter species. *Ann. Soc. Entomol. France*, **42**, 165-170.
- Gibson, G. & Russell, I. (2006). Flying in tune: Sexual recognition in mosquitoes. *Curr. Biol.*, **16**, 1311-1316.
- Gleason, J. M. (2005). Mutations and natural genetic variation in the courtship song of *Drosophila*. *Behav. Genet.*, **35**, 265-277.

- Gogala, M., Trilar, T., Kozina, U. & Duffels, H. (2004). Frequency modulated song of the cicada *Maua albigutta* (Walker 1856)(Auchenorrhyncha: Cicadoidea) from South East Asia. *Scopolia*, **54**, 1-15.
- Gray, D. A. (2005). Does courtship behavior contribute to species-level reproductive isolation in field crickets? *Behav. Ecol.*, **16**, 201-206.
- Greenfield, M. D. (2005). Mechanisms and evolution of communal sexual displays in arthropods and anurans. *Adv. Study Behav.*, **35**, 1-62.
- Guerra, P. A. & Mason, A. C. (2005). Male competition and aggregative behaviour are mediated by acoustic cues within a temporally unstructured aggregation. *Behaviour*, **142**, 71-90.
- Harano, K. & Obara, Y. (2004). The role of chemical and acoustical stimuli in selective queen cell destruction by virgin queens of the honeybee *Apis mellifera* (Hymenoptera: Apidae). *Appl. Entomol. Zool.*, **39**, 611-616.
- Hartbauer, M., Kratzer, S. & Roemer, H. (2006). Chirp rate is independent of male condition in a synchronising bushcricket. *J. Insect Physiol.*, **52**, 221-230.
- Hartbauer, M., Kratzer, S., Steiner, K. & Roemer, H. (2005). Mechanisms for synchrony and alternation in song interactions of the bushcricket *Mecopoda elongata* (Tettigoniidae: Orthoptera). *J. Comp. Physiol. A.*, **191**, 175-188.
- Hedwig, B. (2006). Pulses, patterns and paths: neurobiology of acoustic behaviour in crickets. *J. Comp. Physiol. A.*, **192**, 677-689.
- Hedwig, B. & Poulet, J. F. A. (2005). Mechanisms underlying phonotactic steering in the cricket *Gryllus bimaculatus* revealed with a fast trackball system. *J. Exp. Biol.*, **208**, 915-927.
- Henry, C. S. & Wells, M. L. M. (2004). Adaptation or random change? The evolutionary response of songs to substrate properties in lacewings (Neuroptera: Chrysopidae: *Chrysoperla*). *Anim. Behav.*, **68**, 879-895.
- Henry, C. S. & Wells, M. L. M. (2006). Testing the ability of males and females to respond to altered songs in the dueting green lacewing, *Chrysoperla plorabunda* (Neuroptera: Chrysopidae). *Behav. Ecol. Sociobiol.*, **61**, 39-51.
- Higgins, L. A. & Waugaman, R. D. (2004). Sexual selection and variation: a multivariate approach to species-specific calls and preferences. *Anim. Behav.*, **68**, 1139-1153.
- Hoch, H., Deckert, J. & Wessel, A. (2006). Vibrational signalling in a Gondwanan relict insect (Hemiptera: *Coleorrhyncha*: Peloridiidae). *Biology Lett.*, **2**, 222-224.
- Honda-Sumi, E. (2004). Female recognition of trills in the male calling song of the field cricket, *Teleogryllus taiwannemma*. *J. Ethol.*, **22**, 135-141.
- Honda-Sumi, E. (2005). Difference in calling song of three field crickets of the genus

Teleogryllus: the role in premating isolation. *Anim. Behav.*, **69**, 881-889.

Hristov, N. I. & Conner, W. E. (2005). Sound strategy: acoustic aposematism in the bat-tiger moth arms race. *Naturwissenschaften*, **92**, 164-169.

Hunt, J., Brooks, R., Jennions, M. D., Smith, M. J., Bentsen, C. L. & Bussiere, L. F. (2004). High-quality male field crickets invest heavily in sexual display but die young. *Nature*, **432**, 1024-1027.

Hunt, J., Jennions, M. D., Spyrou, N. & Brooks, R. (2006). Artificial selection on male longevity influences age-dependent reproductive effort in the black field cricket *Teleogryllus commodus*. *Am. Nat.*, **168**, E72-E86.

Izzo, A. S. & Gray, D. A. (2004). Cricket song in sympatry: Species specificity of song without reproductive character displacement in *Gryllus rubens*. *Ann. Entomol. Soc. Am.*, **97**, 831-837.

Jang, Y. & Gerhardt, H. C. (2006). Divergence in female calling song discrimination between sympatric and allopatric populations of the southern wood cricket *Gryllus fultoni* (Orthoptera: Gryllidae). *Behav. Ecol. Sociobiol.*, **60**, 150-158.

Jang, Y. & Gerhardt, H. C. (2006). Divergence in the calling songs between sympatric and allopatric populations of the southern wood cricket *Gryllus fultoni* (Orthoptera: Gryllidae). *J. Evol. Biol.*, **19**, 459-472.

Jeffery, J., Navia, B., Atkins, G. & Stout, J. (2005). Selective processing of calling songs by auditory interneurons in the female cricket, *Gryllus pennsylvanicus*: Possible roles in behavior. *J. Exp. Zool. A.*, **303A**, 377-392.

Jost, M. C. & Shaw, K. L. (2006). Phylogeny of Ensifera (Hexapoda: Orthoptera) using three ribosomal loci, with implications for the evolution of acoustic communication. *Mol. Phylogen. Evol.*, **38**, 510-530.

Kasper, J. & Hirschberger, P. (2005). Stridulation in *Aphodius* dung beetles: Songs and morphology of stridulatory organs in North American *Aphodius* species (Scarabaeidae). *J. Nat. Hist.*, **39**, 91-99

Klappert, K. & Reinhold, K. (2005). Local adaptation and sexual selection: a reciprocal transfer experiment with the grasshopper *Chorthippus biguttulus*. *Behav. Ecol. Sociobiol.*, **58**, 36-43.

Kowalski, S., Aubin, T. & Martin, J.-R. (2004). Courtship song in *Drosophila melanogaster*: a differential effect on male-female locomotor activity. *Can. J. Zool.*, **82**, 1258-1266.

Ladau, J. (2003). Territoriality and singing-site preferences in the cricket, *Cyphoderris monstrosa* (Orthoptera: Haglidae) in Western North America. *Entomol. News*, **114**, 197-204.

Lehmann, G. U. C. & Lehmann, A. W. (2006). Potential lifetime reproductive success of male bushcrickets parasitized by a phonotactic fly. *Anim. Behav.*, **71**, 1103-1110.

- Lourenco, P., Brito, C., Backeljau, T., Thierry, D. & Ventura, M. A. (2006). Molecular systematics of the *Chrysoperla carnea* group (Neuroptera: Chrysopidae) in Europe. *J. Zool. System. Evol. Res.*, **44**, 180-184.
- Mankin, R. W., Anderson, J. B., Mizrach, A., Epsky, N. D., Shuman, D., Heath, R. R., Mazor, M., Hetzroni, A., Grinshpun, J., Taylor, P. W. & Garrett, S. L. (2004). Broadcasts of wing-fanning vibrations recorded from calling male *Ceratitis capitata* (Diptera: Tephritidae) increase captures of females in traps. *J. Econ. Entomol.*, **97**, 1299-1309.
- Marsat, G. & Pollack, G. S. (2004). Differential temporal coding of rhythmically diverse acoustic signals by a single interneuron. *J. Neurophysiol.*, **92**, 939-948.
- Mason, A. C., Lee, N. & Oshinsky, M. L. (2005). The start of phonotactic walking in the fly *Ormia ochracea*: a kinematic study. *J. Exp. Biol.*, **208**, 4699-4708.
- Mendelson, T. C. & Shaw, K. L. (2005). Rapid speciation in an arthropod. *Nature*, **433**, 375-376.
- Mendelson, T. C. & Shaw, K. L. (2006). Close-range acoustic signaling and mate choice in Hawaiian crickets (Gryllidae: *Laupala*). *Behav. Ecol. Sociobiol.*, **59**, 770-776.
- Michelsen, A. (1998). The tuned cricket. *News Physiol. Sci.*, **13**, 32-38.
- Miller, L. A. & Surlykke, A. (2001). How some insects detect and avoid being eaten by bats: tactics and countertactics of prey and predator. *BioScience*, **51**, 570-581.
- Miranda, X. (2006). Substrate-borne signal repertoire and courtship jamming by adults of *Ennya chrysura* (Hemiptera: Membracidae). *Ann. Entomol. Soc. Am.*, **99**, 374-386.
- Miyatake, T. & Kanmiya, K. (2004). Male courtship song in circadian rhythm mutants of *Bactrocera cucurbitae* (Tephritidae: Diptera). *J. Insect Physiol.*, **50**, 85-91.
- Mizrach, A., Hetzroni, A., Mazor, M., Mankin, R. W. & Ignat, T. (2005). Acoustic trap for female Mediterranean fruit flies. *Trans. Asae*, **48**, 2017-2022.
- Montealegre-Z, F. & Mason, A. C. (2005). The mechanics of sound production in *Panacanthus pallicornis* (Orthoptera: Tettigoniidae: Conocephalinae): the stridulatory motor patterns. *J. Exp. Biol.*, **208**, 1219-1237.
- Moulds, M. S. (2005). Song analyses of cicadas of the genera *Aleeta* Moulds and *Tryella* Moulds (Hemiptera: Cicadidae). *Proc. Linn. Soc. New South Wales*, **126**, 133-142.
- Nahirney, P. C., Forbes, J. G., Morris, H. D., Chock, S. C. & Wang, K. (2006). What the buzz was all about: superfast song muscles rattle the tymbals of male periodical cicadas. *FASEB J.*, **20**, 2017-2026.
- Naka, H., Haruyama, N., Ito, K., Mitsunaga, T., Nomura, M. & Mochizuki, A. (2006). Interspecific hybridization between introduced and indigenous lacewings (Neuroptera: Chrysopidae: *Chrysoperla*) at different adult densities. *J. Appl. Entomol.*, **130**, 426-428.

- Nakano, R., Ishikawa, Y., Tatsuki, S., Surlykke, A., Skals, N. & Takanashi, T. (2006). Ultrasonic courtship song in the Asian corn borer moth, *Ostrinia furnacalis*. *Naturwissenschaften*, **93**, 292-296.
- Nascimento, F. S., Hrnčir, M., Tolfiski, A. & Zucchi, R. (2005). Scraping sounds produced by a social wasp (*Asteloeca ujhelyii*, Hymenoptera: Vespidae). *Ethology*, **111**, 1116-1125.
- Navia, B., Stout, J. & Atkins, G. (2003). Prolonged response to calling songs by the L3 auditory interneuron in female crickets (*Acheta domesticus*): Intracellular evaluation. *J. Exp. Zool. A.*, **296A**, 63-71.
- Nityananda, V. & Balakrishnan, R. (2006). A diversity of songs among morphologically indistinguishable katydids of the genus *Mecopoda* (Orthoptera: Tettigoniidae) from southern India. *Bioacoustics*, **15**, 223-250.
- Nuhardiyati, M. & Bailey, W. (2005). Calling and duetting behavior in the leafhopper *Balclutha incisa* (Hemiptera: Cicadellidae: Deltocephalinae): Opportunity for female choice? *J. Insect Behav.*, **18**, 259-280.
- Orci, K. M., Nagy, B., Szoevenyi, G., Racz, I. A. & Varga, Z. (2005). A comparative study on the song and morphology of *Isophya stysi* and *Isophya modestior* (Orthoptera, Tettigoniidae). *Zool. Anz.*, **244**, 31-42.
- Orozco, S. X. & Bertram, S. M. (2004). Parasitized male field crickets exhibit reduced trilling bout rates and durations. *Ethology*, **110**, 909-917.
- Paallysaho, S., Aspi, J., Liimatainen, J. O. & Hoikkala, A. (2003). Role of X chromosomal song genes in the evolution of species-specific courtship songs in *Drosophila virilis* group species. *Behav. Genet.*, **33**, 25-32.
- Pastor, K. A. & Seeley, T. D. (2005). The brief piping signal of the honey bee: Begging call or stop signal? *Ethology*, **111**, 775-784.
- Percy, D. M. & Day, M. F. (2005). Observations of unusual acoustic behaviour in two Australian leafhoppers (Hemiptera: Cicadellidae). *J. Nat. Hist.*, **39**, 3407-3417.
- Percy, D. M., Taylor, G. S. & Kennedy, M. (2006). Psyllid communication: acoustic diversity, mate recognition and phylogenetic signal. *Invertebr. Systemat.*, **20**, 431-445.
- Pinero, J. C. & Prokopy, R. J. (2004). Local enhancement of alighting in the melon fly, *Bactrocera cucurbitae*: Effect of olfactory, visual and acoustical stimuli. *J. Insect Behav.*, **17**, 493-510.
- Pinto-Juma, G., Simoes, P. C., Seabra, S. G. & Quartau, J. A. (2005). Calling song structure and geographic variation in *Cicada orni* Linnaeus (Hemiptera: Cicadidae). *Zool. Stud.*, **44**, 81-94.
- Presern, J., Gogala, M. & Trilar, T. (2004). Comparison of *Dundubia vaginata* (Auchenorrhyncha: Cicadoidea) songs from Borneo and Peninsular Malaysia. *Acta Entomol.*

Slovenica, **12**, 239-248.

Prestwich, K. & O'Sullivan, K. (2005). Simultaneous measurement of metabolic and acoustic power and the efficiency of sound production in two mole cricket species (Orthoptera: Gryllotalpidae). *J. Exp. Biol.*, **208**, 1495-1512.

Quartau, J. A. & Simoes, P. C. (2005). *Cicada cretensis* sp. n. (Hemiptera, Cicadidae) from southern Greece. *Biologia*, **60**, 489-494.

Ratcliffe, J. M. & Fullard, J. H. (2005). The adaptive function of tiger moth clicks against echolocating bats: an experimental and synthetic approach. *J. Exp. Biol.*, **208**, 4689-4698. (Corrigendum, vol. **209**, 2811).

Ray, V. M. & Dowse, H. B. (2005). Mutations in and deletions of the Ca²⁺ channel-encoding gene cacophony, which affect courtship song in *Drosophila*, have novel effects on heartbeating. *J. Neurogenet.*, **19**, 39-56.

Rheinlaender, J., Jun-Xian, S. & Romer, H. (2006). Auditory lateralization in bushcrickets: a new dichotic paradigm. *J. Comp. Physiol. A.*, **192**, 389-397.

Ritchie, M. G., Saarikettu, M. & Hoikkala, A. (2005). Variation, but no covariance, in female preference functions and male song in a natural population of *Drosophila montana*. *Anim. Behav.*, **70**, 849-854.

Robillard, T. (2006). Phylogenetic systematics of *Pseudolebinthus*, a new genus of Eneopterinae crickets (Orthoptera, Grylloidea, Eneopteridae) from south-east Africa. *System. Entomol.*, **31**, 671-683.

Robillard, T. & Desutter-Grandcolas, L. (2004). Phylogeny and the modalities of acoustic diversification in extant Eneopterinae (Insecta, Orthoptera, Grylloidea, Eneopteridae). *Cladistics*, **20**, 271-293.

Robillard, T. & Desutter-Grandcolas, L. (2006). Phylogeny of the cricket subfamily Eneopterinae (Orthoptera, Grylloidea, Eneopteridae) based on four molecular loci and morphology. *Mol. Phylogen. Evol.*, **40**, 643-661.

Rodriguez, R. L., Ramaswamy, K. & Cocroft, R. B. (2006). Evidence that female preferences have shaped male signal evolution in a clade of specialized plant-feeding insects. *Proc. R. Soc. B.*, **273**, 2585-2593.

Rodriguez, R. L., Schul, J., Cocroft, R. B. & Greenfield, M. D. (2005). The contribution of tympanic transmission to fine temporal signal evaluation in an ultrasonic moth. *J. Exp. Biol.*, **208**, 4159-4165.

Saarikettu, M., Liimatainen, J. O. & Hoikkala, A. (2005). Intraspecific variation in mating behaviour does not cause sexual isolation between *Drosophila virilis* strains. *Anim. Behav.*, **70**, 417-426.

Saarikettu, M., Liimatainen, J. O. & Hoikkala, A. (2005). The role of male courtship song in

species recognition in *Drosophila montana*. *Behav. Genet.*, **35**, 257-263.

Saldamando, C. I., Miyaguchi, S., Tatsuta, H., Kishino, H., Bridle, J. R. & Butlin, R. K. (2005). Inheritance of song and stridulatory peg number divergence between *Chorthippus brunneus* and *C. jacobsi*, two naturally hybridizing grasshopper species (Orthoptera: Acrididae). *J. Evol. Biol.*, **18**, 703-712.

Sanborn, A. F. & Phillips, P. K. (2004). Neotype and allotype description of *Tibicen superbus* (Hemiptera: Cicadomorpha: Cicadidae) with description of its biogeography and calling song. *Ann. Entomol. Soc. Am.*, **97**, 647-652.

Sanborn, A. F., Phillips, P. K. & Villet, M. H. (2003). Analysis of the calling songs of *Platypleura hirtipennis* (Germar, 1834) and *P. plumosa* (Germar, 1834)(Hemiptera: Cicadidae). *Afr. Entomol.*, **11**, 291-296.

Scheuber, H., Jacot, A. & Brinkhof, M. W. G. (2004). Female preference for multiple condition-dependent components of a sexually selected signal. *Proc. R. Soc. B.*, **271**, 2453-2457.

Schneider, S. S., Lewis, L. A. & Huang, Z. Y. (2004). The vibration signal and juvenile hormone titers in worker honeybees, *Apis mellifera*. *Ethology*, **110**, 977-985.

Sevgili, H., Ciplak, B., Heller, K. G. & Demirsoy, A. (2006). Morphology, bioacoustics and phylogeography of the *Isophya major* group (Orthoptera: Tettigoniidae: Phaneropterinae): A species complex occurring in Anatolia and Cyprus. *Eur. J. Entomol.*, **103**, 657-671.

Shaw, K. L. & Danley, P. D. (2003). Behavioral genomics and the study of speciation at a porous species boundary. *Zoology*, **106**, 261-273.

Simmons, J. A. (2005). Big brown bats and june beetles: Multiple pursuit strategies in a seasonal acoustic predator-prey system. *Acoust. Res. Lett. Online*, **6**, 238-242.

Simmons, L. W., Zuk, M. & Rotenberry, J. T. (2005). Immune function reflected in calling song characteristics in a natural population of the cricket *Teleogryllus commodus*. *Anim. Behav.*, **69**, 1235-1241.

Simoes, P. C., Boulard, M. & Quartau, J. A. (2006). On the taxonomic status of *Cicada orni* Linnaeus (Hemiptera, Cicadidae) from Lesbos island in Greece. *Zootaxa*, **1105**, 17-25.

Simoes, P. C., Boulard, M., Rebelo, M. T., Drosopoulos, S., Claridge, M. F., Morgan, J. C. & Quartau, J. A. (2000). Differences in the male calling songs of two sibling species of *Cicada* (Hemiptera: Cicadoidea) in Greece. *Eur. J. Entomol.*, **97**, 437-440.

Skals, N., Anderson, P., Kannevorff, M., Loefstedt, C. & Surlykke, A. (2005). Her odours make him deaf: crossmodal modulation of olfaction and hearing in a male moth. *J. Exp. Biol.*, **208**, 595-601.

Snook, R. R., Robertson, A., Crudgington, H. S. & Ritchie, M. G. (2005). Experimental manipulation of sexual selection and the evolution of courtship song in *Drosophila*

pseudoobscura. *Behav. Genet.*, **35**, 245-255.

Soutar, A. R. & Fullard, J. H. (2004). Nocturnal anti-predator adaptations in eared and earless Nearctic Lepidoptera. *Behav. Ecol.*, **15**, 1016-1022.

Souza, N. A., Vigoder, F. M., Araki, A.S., Ward, R. D., Kyriacou, C. P. & Peixoto, A. A. (2004). Analysis of the copulatory courtship songs of *Lutzomyia longipalpis* in six populations from Brazil. *J. Med. Entomol.*, **41**, 906-913.

Stewart, K. W. & Sandberg, J. B. (2004). Description of the nymph and drumming calls of *Megaleuctra complicata* Claassen (Plecoptera: Leuctridae): Evolution of drumming in Leuctridae. *Aquat. Insects*, **26**, 123-129.

Stireman, J. O., O'Hara, J. E. & Wood, D. M. (2006). Tachinidae: Evolution, behavior, and ecology. *Ann. Rev. Entomol.*, **51**, 525-555.

Stoelting, H., Moore, T. E. & Lakes-Harlan, R. (2004). Acoustic communication in *Okanagana rimosa* (Say) (Homoptera: Cicadidae). *Zoology*, **107**, 243-257.

Sueur, J. & Aubin, T. (2003). Specificity of cicada calling songs of the genus *Tibicina* (Hemiptera: Cicadidae). *Syst. Entomol.*, **28**, 481-492.

Sueur, J. & Aubin, T. (2006). When males whistle at females: complex FM acoustic signals in cockroaches. *Naturwissenschaften*, **93**, 500-505.

Sueur, J., Tuck, E. J. & Robert, D. (2005). Sound radiation around a flying fly. *J. Acoust. Soc. Am.*, **118**, 530-538.

Sueur, J., Windmill, J. F. C. & Robert, D. (2006). Tuning the drum: the mechanical basis for frequency discrimination in a Mediterranean cicada. *J. Exp. Biol.*, **209**, 4115-4128.

Taki, H., Kuroki, S. & Nomura, M. (2005). Taxonomic diversity within the Japanese green lacewing, *Chrysoperla carnea* (Neuroptera: Chrysopidae), identified by courtship song analyses and crossing tests. *J. Ethol.*, **23**, 57-61.

Talyn, B. C. & Dowse, H. B. (2004). The role of courtship song in sexual selection and species recognition by female *Drosophila melanogaster*. *Anim. Behav.*, **68**, 1165-1180.

Tauber, M. J., Tauber, C. A. & Hilton, T. W. (2006). Life history and reproductive behavior of the endemic Hawaiian *Anomalochrysa hepatica* (Neuroptera: Chrysopidae): A comparative approach. *Eur. J. Entomol.*, **103**, 327-336.

Tomaru, M., Yamada, H. & Oguma, Y. (2004). Female mate recognition and sexual isolation depending on courtship song in *Drosophila sechellia* and its siblings. *Genes Genet. Systems*, **79**, 145-150.

Tregenza, T., Simmons, L. W., Wedell, N. & Zuk, M. (2006). Female preference for male courtship song and its role as a signal of immune function and condition. *Anim. Behav.*, **72**, 809-818.

Velez, M. J. & Brockmann, H. J. (2006). Seasonal variation in selection on male calling song in the field cricket, *Gryllus rubens*. *Anim. Behav.*, **72**, 439-448.

Vries, T. de & Lakes-Harlan, R. (2005). Phonotaxis of the female parasitoid *Emblemasoma auditrix* (Diptera, Sarcophagidae) in relation to number of larvae and age. *Zoology*, **108**, 239-246.

Waters, D. A. (2003). Bats and moths: what is there left to learn. *Roy. Entomol. Soc., Physiol. Entomol.*, **28**, 237-250.

Wells, M. L. M. & Henry, C. S. (2006). Testing the ability of males and females to respond to altered songs in the dueting green lacewing, *Chrysoperla plorabunda* (Neuroptera: Chrysopidae). *Behav. Ecol. Sociobiol.*, **61**, 39-51.

Wenzel, B., Kunst, M., Gunther, C., Ganter, G. K., Lakes-Harlan, R., Elsner, N. & Heinrich, R. (2005). Nitric oxide/cyclic guanosine monophosphate signalling in the central complex of the grasshopper brain inhibits singing behavior. *J. Comp. Neurol.*, **488**, 129-139.

Windmill, J. F. C., Gopfert, M. C. & Robert, D. (2005). Tympanal travelling waves in migratory locusts. *J. Exp. Biol.*, **208**, 157-168.