

Passerine birds 2006

(includes publications since the last list and some that were not included in the last list)

Compiled by P. Hansen

Abarbanel, H. D. I., Gibb, L., Mindlin, G. B. & Talathi, S. (2004). Mapping neural architectures onto acoustic features of birdsong. *J. Neurophysiol.*, **92**, 96-110.

Adkins-Regan, E. (2005). Activity dependent brain plasticity: Does singing increase the volume of a song system nucleus? *Behav. Neurosci.*, **119**, 346-348.

Adret, P. (2004). In search of the song template. *Ann. N. Y. Acad. Sci.*, **1016**, 303-324.

Airey, D. & DeVoogd, T. (2000). Greater song complexity is associated with augmented song system anatomy in zebra finches. *Neuroreport*, **11**, 2339-2344.

Amin, N., Grace, J. A. & Theunissen, F. E. (2004). Neural response to bird's own song and tutor song in the zebra finch field L and caudal mesopallium. *J. Comp. Physiol. A.*, **190**, 469-489.

Amrhein, V. & Erne, N. (2006). Dawn singing reflects past territorial challenges in the winter wren. *Anim. Behav.*, **71**, 1075-1080.

Anderson, K. E., Rothstein, S. I., Fleischer, R. C. & O'Loughlen, A. L. (2005). Large-scale movement patterns between song dialects in brown-headed cowbirds (*Molothrus ater*). *Auk*, **122**, 803-818.

Anderson, R. C., Searcy, W. A. & Nowicki, S. (2005). Partial song matching in an eastern population of song sparrows, *Melospiza melodia*. *Anim. Behav.*, **69**, 189-196.

Appeltants, D., Gentner, T. Q., Hulse, S. W., Balthazart, J. & Ball, G. F. (2005). The effect of auditory distractors on song discrimination in male canaries (*Serinus canaria*). *Behav. Processes*, **69**, 331-341.

Ashmore, R. C., Wild, J. M. & Schmidt, M. F. (2005). Brainstem and forebrain contributions to the generation of learned motor behaviors for song. *J. Neurosci.*, **25**, 8543-8554.

Avey, M. T., Phillmore, L. S. & MacDougall-Shackleton, S. A. (2005). Immediate early gene expression following exposure to acoustic and visual components of courtship in zebra finches. *Behav. Brain Res.*, **165**, 247-253.

Awbrey, E. T., Hunsaker II, D. & Church, R. (1995). Acoustical responses of California gnatcatchers to traffic noise. *Inter-Noise*, **95**, 971-974.

Bailey, D. J. & Wade, J. (2006). Sexual dimorphism in song-induced ZENK expression in the medial striatum of juvenile zebra finches. *Neurosci. Lett.*, **401**, 86-91.

Baker, M. C. (2006). Differentiation of mating vocalizations in birds: Acoustic features in

mainland and island populations and evidence of habitat-dependent selection on songs. *Ethology*, **112**, 757-771.

Baker, M. C., Baker, E. M. & Baker, M. S. A. (2003). Songs of the red-capped robin, *Petroica goodenovii*: comparison of acoustic features in island and mainland populations. *Emu*, **103**, 329-335.

Baker, M. C., Baker, M. S. A. & Tilghman, L. M. (2006). Differing effects of isolation on evolution of bird songs: examples from an island-mainland comparison of three species. *Biol. J. Linn. Soc.*, **89**, 331-342.

Balakrishnan, C. N. & Sorenson, M. D. (2006). Song discrimination suggests premating isolation among sympatric indigobird species and host races. *Behav. Ecol.*, **17**, 473-478.

Ball, G. F., Auger, C. J., Bernard, D. J., Charlier, T., Sartor, J. J., Ritters, L. V. & Balthazart, J. (2004). Seasonal plasticity in the song control system: Multiple brain sites of steroid hormone action and the importance of variation in song behavior. *Ann. N. Y. Acad. Sci.*, **1016**, 586-610.

Ballentine, B. (2006). Morphological adaptation influences the evolution of a mating signal. *Evolution*, **60**, 1936-1944.

Balsby, T. J. S. & Dabelsteen, T. (2005). Simulated courtship interactions elicit neighbour intrusions in the whitethroat, *Sylvia communis*. *Anim. Behav.*, **69**, 161-168.

Barg, J. J., Aiama, D. M., Jones, J. & Robertson, R. J. (2006). Within-territory habitat use and microhabitat-selection by male cerulean warblers (*Dendroica cerulea*). *Auk*, **123**, 795-806.

Beebee, M. D. (2004). Variation in vocal performance in the songs of a wood-warbler: Evidence for the function of distinct singing modes. *Ethology*, **110**, 531-542.

Beebee, M. D. (2004). The functions of multiple singing modes: experimental tests in yellow warblers, *Dendroica petechia*. *Anim. Behav.*, **67**, 1089-1097.

Beecher, M. D. & Brenowitz, E. A. (2005). Functional aspects of song learning in songbirds. *Trends Ecol. Evol.*, **20**, 143-149.

Beecher, M. D. & Campbell, E. (2005). The role of unshared songs in singing interactions between neighbouring song sparrows. *Anim. Behav.*, **70**, 1297-1304.

Bell, B. D., Borowiec, M., Lontkowski, J. & Pledger, S. (2004). Short records of marsh warbler (*Acrocephalus palustris*) song provide indices that correlate with nesting success. *J. Ornithol.*, **145**, 8-15.

Berg, K. S., Brumfield, R. T. & Apanius, V. (2006). Phylogenetic and ecological determinants of the neotropical dawn chorus. *Proc. R. Soc. B.*, **273**, 999-1005.

Berg, M. L., Beintema, N. H., Welbergen, J. A. & Komdeur, J. (2005). Singing as a handicap: the effects of food availability and weather on song output in the Australian reed warbler *Acrocephalus australis*. *J. Avian Biol.*, **36**, 102-109.

- Best, V., Ozmeral, E., Gallun, F. J., Sen, K. & Shinn-Cunningham, B. G. (2005). Spatial unmasking of birdsong in human listeners: Energetic and informational factors. *J. Acoust. Soc. Am.*, **118**, 3766-3773.
- Bloomfield, L. L., Charrier, I. & Sturdy, C. B. (2004). Note types and coding in parid vocalizations. II: The chick-a-dee call of the mountain chickadee (*Poecile gambeli*). *Can. J. Zool.*, **82**, 780-793.
- Bloomfield, L. L., Phillmore, L. S., Weisman, R. G. & Sturdy, C. B. (2005). Note types and coding in parid vocalizations. III: The chick-a-dee call of the Carolina chickadee (*Poecile carolinensis*). *Can. J. Zool.*, **83**, 820-833.
- Blumenrath, S. H. & Dabelsteen, T. (2004). Degradation of great tit (*Parus major*) song before and after foliation: implications for vocal communication in a deciduous forest. *Behaviour*, **141**, 935-958.
- Blumenrath, S. H., Dabelsteen, T. & Petersen, S. B. (2004). Being inside nest boxes: Does it complicate the receiving conditions for great tit *Parus major* females? *Bioacoustics*, **14**, 209-223.
- Blumstein, D. T. & Turner, A. C. (2005). Can the acoustic adaptation hypothesis predict structure of Australian birdsong? *Acta Ethol.*, **8**, 35-44.
- Bolhuis, J. J. (2005). Function and mechanism in neuroecology: looking for clues. *Anim. Biol.*, **55**, 457-490.
- Bolhuis, J. J. & Eda-Fujiwara, H. (2003). Bird brains and songs: neural mechanisms of birdsong perception and memory. *Anim. Biol.*, **53**, 129-145.
- Bolhuis, J. J. & Gahr, M. (2006). Neural mechanisms of birdsong memory. *Nature Rev. Neurosci.*, **7**, 347-357.
- Boseret, G., Carere, C., Ball, G. F. & Balthazart, J. (2006). Social context affects testosterone-induced singing and the volume of song control nuclei in male canaries (*Serinus canaria*). *J. Neurobiol.*, **66**, 1044-1060.
- Bottjer, S. W. (2004). Developmental regulation of basal ganglia circuitry during the sensitive period for vocal learning in songbirds. *Ann. N. Y. Acad. Sci.*, **1016**, 395-415.
- Bottjer, S. W. (2005). Silent synapses in a thalamo-cortical circuit necessary for song learning in zebra finches. *J. Neurophysiol.*, **94**, 3698-3707.
- Braaten, R. F., Petzoldt, M. & Colbath, A. (2006). Song perception during the sensitive period of song learning in zebra finches (*Taeniopygia guttata*). *J. Comp. Psychol.*, **120**, 79-88.
- Brainard, M. S. (2004). Contributions of the anterior forebrain pathway to vocal plasticity. *Ann. N. Y. Acad. Sci.*, **1016**, 377-394.
- Brenowitz, E. A. (2004). Plasticity of the adult avian song control system. *Ann. N. Y. Acad.*

Sci., **1016**, 560-585.

Brenowitz, E. A. & Beecher, M. D. (2005). Song learning in birds: diversity and plasticity, opportunities and challenges. *Trends Neurosci.*, **28**, 127-132.

Brumm, H. & Slabbekoorn, H. (2005). Acoustic communication in noise. *Adv. Study Behav.*, **35**, 151-209.

Brumm, H. & Slater, P. J. B. (2006). Animals can vary signal amplitude with receiver distance: evidence from zebra finch song. *Anim. Behav.*, **72**, 699-705.

Brumm, H. & Slater, P. J. B. (2006). Ambient noise, motor fatigue, and serial redundancy in chaffinch song. *Behav. Ecol. Sociobiol.*, **60**, 475-481.

Brunton, D. H. & Li, X. L. (2006). The song structure and seasonal patterns of vocal behavior of male and female bellbirds (*Anthornis melanura*). *J. Ethol.*, **24**, 17-25.

Buchanan, K. L., Leitner, S., Spencer, K. A., Goldsmith, A. R. & Catchpole, C. K. (2004). Developmental stress selectively affects the song control nucleus HVC in the zebra finch. *Proc. R. Soc. B.*, **271**, 2381-2386.

Buckland, S. T. (2006). Point-transect surveys for songbirds: Robust methodologies. *Auk*, **123**, 345-357.

Busch, D. S. & Wingfield, J. C. T. (2004). Territorial aggression of a tropical passerine, *Zonotrichia capensis*, in response to a variety of conspecific intruders. *Behaviour*, **141**, 1173-1188.

Cappendijk, S. L. T. & Johnson, F. (2005). Inhibitors of carbohydrate metabolism reduce undirected song production at doses that do not alter food intake in singly housed male zebra finches. *Behav. Brain Res.*, **159**, 51-54.

Cardin, J. A. & Schmidt, M. F. (2004). Noradrenergic inputs mediate state dependence of auditory responses in the avian song system. *J. Neurosci.*, **24**, 7745-7753.

Cardin, J. A., Raksin, J. N. & Schmidt, M. F. (2005). Sensorimotor nucleus Nif is necessary for auditory processing but not vocal motor output in the avian song system. *J. Neurophysiol.*, **93**, 2157-2166.

Cardoso, G. C. & Mota, P.G. (2004). Female serin (*Serinus serinus*) responses to song do not favour the predominant song syntax. *Ethol. Ecol. Evol.*, **16**, 329-338.

Caro, S. P., Lambrechts, M. M., Chastel, O., Sharp, P. J., Thomas, D. W. & Balthazart, J. (2006). Simultaneous pituitary-gonadal recrudescence in two Corsican populations of male blue tits with asynchronous breeding dates. *Horm. Behav.*, **50**, 347-360.

Caro, S. P., Lambrechts, M. M. & Balthazart, J. B. (2005). Early seasonal development of brain song control nuclei in male blue tits. *Neurosci. Lett.*, **386**, 139-144.

- Charrier, I. & Sturdy, C. B. (2005). Call-based species recognition in black-capped chickadees. *Behav. Processes*, **70**, 271-281.
- Charrier, I., Bloomfield, L. L. & Sturdy, C. B. (2004). Note types and coding in parid vocalizations. I: The chick-a-dee call of the black-capped chickadee (*Poecile atricapillus*). *Can. J. Zool.*, **82**, 769-779.
- Charrier, I., Lee, T. T. Y., Bloomfield, L. L. & Sturdy, C. B. (2005). Acoustic mechanisms of note-type perception in black-capped chickadee (*Poecile atricapillus*) calls. *J. Comp. Psychol.*, **119**, 371-380.
- Chelen, A. A. R., Garcia, C. M. & Riebel, K. (2005). Variation in the song of a sub-oscine, the vermilion flycatcher. *Behaviour*, **142**, 1115-1132.
- Chen, Z. & Maher, R. C. (2006). Semi-automatic classification of bird vocalizations using spectral peak tracks. *J. Acoust. Soc. Am.*, **120**, 2974-2984.
- Cheng, H. Y. & Clayton, D. F. (2004). Activation and habituation of extracellular signal-regulated kinase phosphorylation in zebra finch auditory forebrain during song presentation. *J. Neurosci.*, **24**, 7503-7513.
- Cheng, M.-F. & Durand, S. E. (2004). Song and the limbic brain: A new function for the bird's own song. *Ann. N. Y. Acad. Sci.*, **1016**, 611-627.
- Clayton, D. F. (2004). Songbird genomics: Methods, mechanisms, opportunities, and pitfalls. *Ann. N. Y. Acad. Sci.*, **1016**, 45-60.
- Clucas, B. A., Freeberg, T. M. & Lucas, J. R. (2004). Chick-a-dee call syntax, social context, and season affect vocal responses of Carolina chickadees (*Poecile carolinensis*). *Behav. Ecol. Sociobiol.*, **57**, 187-196.
- Coleman, M. J. & Vu, E. T. (2005). Recovery of impaired songs following unilateral but not bilateral lesions of nucleus uvaeformis of adult zebra finches. *J. Neurobiol.*, **63**, 70-89.
- Collias, N. E. & Collias, E. C. (2004). Comparison of vocal signals of three species of African finches. *Behaviour*, **141**, 1151-1171.
- Cooper, B. G. & Goller, F. (2006). Physiological insights into the social-context-dependent changes in the rhythm of the song motor program *J. Neurophysiol.*, **95**, 3798-3809.
- Corbitt, C. & Deviche, P. (2005). Age-related difference in size of brain regions for song learning in adult male dark-eyed juncos (*Junco hyemalis*). *Brain Behav. Evol.*, **65**, 268-277.
- Cotton, S., Rogers, D. W. & Pomiankowski, A. (2005). Sexual selection: The importance of long-term fitness measures. *Curr. Biol.*, **15**, R334-R336.
- Cousillas, H., Richard, J. P., Mathelier, M., Henry, L., George, I. & Hausberger, M. (2004). Experience-dependent neuronal specialization and functional organization in the central auditory area of a songbird. *Eur. J. Neurosci.*, **19**, 3343-3352.

- Cragg, S. J. (2005). Singing to the tune of dopamine. Focus on 'Properties of dopamine release and uptake in the songbird basal ganglia'. *J. Neurophysiol.*, **93**, 1827-1828.
- Cunningham, R. B., Lindenmayer, D. B. & Lindenmayer, B. D. (2004). Sound recording of bird vocalisations in forests. I. Relationships between bird vocalisations and point interval counts of bird numbers - a case study in statistical modeling. *Wildl. Res.*, **31**, 195-207.
- Cynx, J., Bean, N. J. & Rossman, I. (2005). Testosterone implants alter the frequency range of zebra finch songs. *Horm. Behav.*, **47**, 446-451.
- Daley, M. & Goller, F. (2004). Tracheal length changes during zebra finch song and their possible role in upper vocal tract filtering. *J. Neurobiol.*, **59**, 319-330.
- Davies, N. B., Madden, J. R. & Butchart, S. H. M. (2004). Learning fine-tunes a specific response of nestlings to the parental alarm calls of their own species. *Proc. R. Soc. B.*, **271**, 2297-2304.
- Dawson, M. R. W., Bloomfield, L. L., Charrier, I. & Sturdy, C. B. (2006). Statistical classification of black-capped (*Poecile atricapillus*) and mountain chickadee (*Poecile gambeli*) call notes. *J. Comp. Psychol.*, **120**, 147-153.
- Dawson, M. R. W., Charrier, I. & Sturdy, C. B. (2006). Using an artificial neural network to classify black-capped chickadee (*Poecile atricapillus*) call note types. *J. Acoust. Soc. Am.*, **119**, 3161-3172.
- DeVoogd, T. J. (2004). Where is the bird? *Ann. N. Y. Acad. Sci.*, **1016**, 778-786.
- Del Negro, C., Lehongre, K. & Edeline, J. M. (2005). Selectivity of canary HVC neurons for the bird's own song: Modulation by photoperiodic conditions. *J. Neurosci.*, **25**, 4952-4963.
- Delwiche, M. J., Houk, A. P., Gorenzel, W. P. & Salmon, T. P. (2005). Electronic broadcast call unit for bird control in orchards. *Appl. Engin. Agricult.*, **21**, 721-727.
- Depraz, V., Kreutzer, M. & Leboucher, G. (2004). Sexual preferences for songs in female domestic canaries (*Serinus canaria*): can late song exposure, without social reinforcement, influence the effects of early tutoring? *Acta Ethol.*, **6**, 73-78.
- Deregnaucourt, S., Mitra, P. P., Feher, O., Maul, K. K., Lints, T. J. & Tchernichovski, O. (2004). Song development: In search of the error-signal. *Ann. N. Y. Acad. Sci.*, **1016**, 364-376.
- Deregnaucourt, S., Mitra, P. P., Feher, O., Pytte, C. & Tchernichovski, O. (2005). How sleep affects the developmental learning of bird song. *Nature*, **434**, 710-716.
- Dolby, A. S., Clarkson, C. E., Haas, E. T., Miller, J. K., Havens, L. E. & Cox, B. K. (2005). Do song-phrase production rate and song versatility honestly communicate male parental quality in the gray catbird? *J. Field Ornithol.*, **76**, 287-292.
- Dongen, W. F. D. van (2006). Variation in singing behaviour reveals possible functions of song in male golden whistlers. *Behaviour*, **143**, 57-82.

- Dongen, W. F. D. van & Mulder, R. A. (2006). Habitat density, song structure and dialects in the Madagascar paradise flycatcher *Terpsiphone mutata*. *J. Avian Biol.*, **37**, 349-356.
- Doran, P. J., Gulezian P. Z. & Betts, M. G. (2005). A test of the mobbing playback method for estimating bird reproductive success. *J. Field Ornithol.*, **76**, 227-233.
- Doupe, A. J., Solis, M. M., Kimpo, R. & Boetiger, C. A. (2004). Cellular, circuit, and synaptic mechanisms in song learning. *Ann. N. Y. Acad. Sci.*, **1016**, 495-523.
- Draganoiu, T. I., Nagle, L., Musseau, R. & Kreutzer, M. (2006). In a songbird, the black redstart, parents use acoustic cues to discriminate between their different fledglings. *Anim. Behav.*, **71**, 1039-1046.
- Du, P. & Troyer, T. W. (2006). A segmentation algorithm for zebra finch song at the note level. *Neurocomputing*, **69**, 1375-1379.
- Duncan, W. J. & Bednekoff, P. A. (2006). Singing in the shade: song and song posts of northern cardinals near nesting Cooper's hawks. *Can. J. Zool.*, **84**, 916-919.
- Duyse, E. Van., Pinxten, R., Snoeijs, T. & Eens, M. (2005). Simultaneous treatment with an aromatase inhibitor and an anti-androgen decreases the likelihood of dawn song in free-living male great tits, *Parus major*. *Horm. Behav.*, **48**, 243-251.
- Farnsworth, A. (2005). Flight calls and their value for future ornithological studies and conservation research. *Auk*, **122**, 733-746.
- Farnsworth, A. & Lovette, I. J. (2005). Evolution of nocturnal flight calls in migrating wood-warblers: apparent lack of morphological constraints. *J. Avian Biol.*, **36**, 337-347.
- Farries, M. A. (2004). The avian song system in comparative perspective. *Ann. N. Y. Acad. Sci.*, **1016**, 61-76.
- Farries, M. A., Ding, L. & Perkel, D. J. (2005). Evidence for 'direct' and 'indirect' pathways through the song system basal ganglia. *J. Comp. Neurol.*, **484**, 93-104.
- Fee, M. S., Kozhevnikov, A. & Hahnloser, R. H. R. (2004). Neural mechanisms of vocal sequency generation in the songbird. *Ann. N. Y. Acad. Sci.*, **1016**, 153-170.
- Fletcher, N. H., Riede, T. & Suthers, R. A. (2006). Model for vocalization by a bird with distensible vocal cavity and open beak. *J. Acoust. Soc. Am.*, **119**, 1005-1011.
- Forstmeier, W. (2004). Female resistance to male seduction in zebra finches. *Anim. Behav.*, **68**, 1005-1015.
- Forstmeier, W. (2005). Quantitative genetics and behavioural correlates of digit ratio in the zebra finch. *Proc. R. Soc. B.*, **272**, 2641-2649.
- Forstmeier, W. & Birkhead, T. R. (2004). Repeatability of mate choice in the zebra finch: consistency within and between females. *Anim. Behav.*, **68**, 1017-1028.

Forstmeier, W. & Leisler, B. (2004). Repertoire size, sexual selection, and offspring viability in the great reed warbler: changing patterns in space and time. *Behav. Ecol.*, **15**, 555-563.

Forstmeier, W., Hasselquist, D., Bensch, S. & Leisler, B. (2006). Does song reflect age and viability? A comparison between two populations of the great reed warbler *Acrocephalus arundinaceus*. *Behav. Ecol. Sociobiol.*, **59**, 634-643.

Freeberg, T. M. (2006). Social complexity can drive vocal complexity: Group size influences vocal information in Carolina chickadees. *Psychol. Sci.*, **17**, 557-561.

Freudenstein, J. V., Pickett, K. M., Simmons, M. P. & Wenzel, J. W. (2003). From basepairs to birdsongs: phylogenetic data in the age of genomics. *Cladistics*, **19**, 333-347.

Fusani, L. & Gahr, M. (2006). Hormonal influence on song structure and organization: the role of estrogen. *Neuroscience*, **138**, 939-946.

Gahr, M. (2004). Hormone-dependent neural plasticity in the juvenile and adult song system: What makes a successful male? *Ann. N. Y. Acad. Sci.*, **1016**, 684-703.

Gammon, D. E. (2004). Black-capped chickadee dawn chorus and subsequent sexual activity. *Wilson Bull.*, **116**, 252-256.

Gammon, D. E. & Baker, M. C. (2004). Song repertoire evolution and acoustic divergence in a population of black-capped chickadees, *Poecile atricapillus*. *Anim. Behav.*, **68**, 903-913.

Gammon, D. E., Baker, M. C. & Tipton, J. R. (2005). Cultural divergence within novel song in the black-capped chickadee (*Poecile atricapillus*). *Auk*, **122**, 853-871.

Garamszegi, L. Z. (2005). Bird song and parasites. *Behav. Ecol. Sociobiol.*, **59**, 167-180.

Garamszegi, L. Z., Balsby, T. J. S., Bell, B. D., Borowiec, M., Byers, B. E., Draganoiu, T., Eens, M., Forstmeier, W., Galeotti, P., Gil, D., Gorissen, L., Hansen, P., Lampe, H. M., Leitner, S., Lontkowski, J., Nagle, L., Nemeth, E., Pinxten, R., Rossi, J.-M., Saino, N., Tanvez, A., Titus, R., Toeroek, J., Van Duyse, E. & Møller, A. P. (2005): Estimating the complexity of bird song by using capture-recapture approaches from community ecology. *Behav. Ecol. Sociobiol.*, **57**, 305-317.

Garamszegi, L. Z., Eens, M., Erritzoe, J. & Møller, A. P. (2005). Sexually size dimorphic brains and song complexity in passerine birds. *Behav. Ecol.*, **16**, 335-345.

Garamszegi, L. Z., Hegyi, G., Heylen, D., Ninni, P., De Lope, F., Eens, M. & Møller, A. P. (2006). The design of complex sexual traits in male barn swallows: associations between signal attributes. *J. Evol. Biol.*, **19**, 2052-2066.

Garamszegi, L. Z., Merino, S., Toeroek, J., Eens, M. & Martinez, J. (2006). Indicators of physiological stress and the elaboration of sexual traits in the collared flycatcher. *Behav. Ecol.*, **17**, 399-404.

Garamszegi, L. Z., Moreno, J. & Møller, A. P. (2006). Avian song complexity is associated

with high field metabolic rate. *Evol. Ecol. Res.*, **8**, 75-90.

Garamszegi, L., Heylen, D., Møller, A. P., Eens, M. & de Lope, F. (2005). Age-dependent health status and song characteristics in the barn swallow. *Behav. Ecol.*, **16**, 580-591.

Gardner, T. J., Naef, F. & Nottebohm, F. (2005). Freedom and rules: The acquisition and reprogramming of a bird's learned song. *Science*, **308**, 1046-1049.

Gaunt, S. L. L., Nelson, D. A., Dantzker, M. S., Budney, G. F. & Bradbury, J. W. (2005). New directions for bioacoustic collections. *Auk*, **122**, 984-987.

Gebauer, A., Kaiser, M. & Wassmann, C. (2006). Remarks on biology, vocalisations and systematics of *Urocynchramus pylzowi* Przewalski (Aves, Passeriformes). *Zootaxa*, **1325**, 75-98.

Gentner, T. Q. (2004). Neural systems for individual song recognition in adult birds. *Ann. N. Y. Acad. Sci.*, **1016**, 282-302.

Gentner, T. Q., Fenn, K. M., Margoliash, D. & Nusbaum, H. C. (2006). Recursive syntactic pattern learning by songbirds. *Nature*, **440**, 1204-1207.

George, I., Cousillas, H., Verner, B., Richard, J. P., Henry, L., Mathelier, M., Lengagne, T. & Hausberger, M. (2004). Sound processing in the auditory cortex homologue of songbirds: Functional organization and developmental issues. *J. Physiol. Paris*, **98**, 385-394.

George, I., Hara, E. & Hessler, N. A. (2006). Behavioral and neural lateralization of vision in courtship singing of the zebra finch. *J. Neurobiol.*, **66**, 1164-1173.

Gerhart, N. G. (2004). Rediscovery of the Selva cacique (*Cacicus koepckeae*) in southeastern Peru with notes on habitat, voice, and nest. *Wilson Bull.*, **116**, 74-82.

Gill, S. A., Vonhof, M. J., Stutchbury, B. J. M., Morton, E. S. & Quinn, J. S. (2005). No evidence for acoustic mate-guarding in duetting buff-breasted wrens (*Thryothorus leucotis*). *Behav. Ecol. Sociobiol.*, **57**, 557-565.

Glaze, C. M. & Troyer, T. W. (2006). Temporal structure in zebra finch song: Implications for motor coding. *J. Neurosci.*, **26**, 991-1005.

Goller, F. & Cooper, B. G. (2004). Peripheral motor dynamics of song production in the zebra finch. *Ann. N. Y. Acad. Sci.*, **1016**, 130-152.

Goller, F., Mallinckrodt, M. J. & Torti, S. D. (2004). Beak gape dynamics during song in the zebra finch. *J. Neurobiol.*, **59**, 289-303.

Goodale, E. & Kotagama, S. W. (2006). Vocal mimicry by a passerine bird attracts other species involved in mixed-species flocks. *Anim. Behav.*, **72**, 471-477.

Goodale, E. & Kotagama, S. W. (2006). Context-dependent vocal mimicry in a passerine bird. *Proc. R. Soc. B.*, **273**, 875-880.

- Goodale, E., Kotagama, S. W. & Holberton, R. L. (2005). Alarm calling in Sri Lankan mixed-species bird flocks. *Auk*, **122**, 108-120.
- Goretskaia, M. I. (2004). Song structure and singing behaviour of willow warbler *Phylloscopus trochilus acredula* in populations of low and high density. *Bioacoustics*, **14**, 183-195.
- Gorissen, L. & Eens, M. (2005). Complex female vocal behaviour of great and blue tits inside the nesting cavity. *Behaviour*, **142**, 489-506.
- Gorissen, L., Gorissen, M. & Eens, M. (2006). Heterospecific song matching in two closely related songbirds (*Parus major* and *P. caeruleus*): great tits match blue tits but not vice versa. *Behav. Ecol. Sociobiol.*, **60**, 260-269.
- Grafe, T. U. & Bitz, J. H. (2004). Functions of duetting in the tropical boubou, *Laniarius aethiopicus*: territorial defence and mutual mate guarding. *Anim. Behav.*, **68**, 193-201.
- Granada, A., Gabitto, M., Garcia, G., Alliende, J., Mendez, J., Trevisan, M. A. & Mindlin, G. B. (2006). The generation of respiratory rhythms in birds. *Physica, A.*, **371**, 84-87.
- Grant, B. R. (2003). Evolution in Darwin's finches: a review of a study on Isla Daphne Major in the Galapagos Archipelago. *Zoology*, **106**, 255-259.
- Greeney, H. F., Krabbe, N., Lysinger, M. & Funk, W. C. (2004). Observations on the breeding and vocalizations of the fulvous-breasted flatbill (*Rhynchocyclus fulvipectus*) in eastern Ecuador. *Ornitol. Neotrop.*, **15**, 365-370.
- Griesser, M. & Ekman, J. (2005). Nepotistic mobbing behaviour in the Siberian jay. *Anim. Behav.*, **69**, 345-352.
- Gros-Louis, J., White, D. J., King, A. P. & West, M. J. (2006). Do juvenile males affect adult males' reproductive success in brown-headed cowbirds (*Molothrus ater*)? *Behaviour*, **143**, 219-237.
- Gross, C. G. (2001). Neurogenesis in the adult brain: death of a dogma. *Nature Rev. Neurosci.*, **1**, 67-73.
- Hahnloser, R. H. R., Kozhevnikov, A. A. & Fee, M. S. (2006). Sleep-related neural activity in a premotor and a basal-ganglia pathway of the songbird. *J. Neurophysiol.*, **96**, 794-812.
- Hall, M. L. (2006). Convergent vocal strategies of males and females are consistent with a cooperative function in duetting in Australian magpie-larks. *Behaviour*, **143**, 425-449.
- Hall, M. L., Illes, A. & Vehrencamp, S. L. (2006). Overlapping signals in banded wrens: long-term effects of prior experience on males and females. *Behav. Ecol.*, **17**, 260-269.
- Halupka, K. & Borowiec, M. (2006). Male whitethroats, *Sylvia communis*, advertise their future contribution to parental care. *Behaviour*, **143**, 1-14.

Handley, H. G. & Nelson, D. A. (2005). Ecological and phylogenetic effects on song sharing in songbirds. *Ethology*, **111**, 221-238.

Hansen, I. J. K., Otter, K. A., van Oort, H. & Holschuh, C. I. (2005). Communication breakdown? Habitat influences on black-capped chickadee dawn choruses. *Acta Ethol.*, **8**, 111-120.

Harding, C. F. (2004). Learning from bird brains: How the study of songbird brains revolutionized neuroscience. *Lab. Animal*, **33**, 28-33.

Harding, C. F. (2004). Hormonal modulation of singing: Hormonal modulation of the songbird brain and singing behavior. *Ann. N. Y. Acad. Sci.*, **1016**, 524-539.

Hauber, M. E., Pearson, H. E., Reh, A. & Merges, A. (2002). Discrimination between host songs by brood parasitic brown-headed cowbirds (*Molothrus ater*). *Anim. Cogn.*, **5**, 129-137.

Hauser, M. D. & Dermott, J. (2004). The evolution of the music faculty: comparative perspective. *Nature Neurosci.*, **6**, 663-668.

Heinrich, J. E., Nordeen, K. W. & Nordeen, E. J. (2005). Dissociation between extension of the sensitive period for avian learning and dendritic spine loss in the song nucleus IMAN. *Neurobiol. Learn. Mem.*, **83**, 143-150.

Hoffman, A. M., Robakiewicz, P. E., Tuttle, E. M. & Rogers, L. J. (2006). Behavioural lateralisation in the Australian magpie (*Gymnorhina tibicen*). *Laterality*, **11**, 110-121.

Holschuh, C. (2001). Behavioural compensation for habitat induced differences in black-capped chickadee (*Poecile atricapillus*) song transmission. B.Sc. thesis. University of Northern British Columbia.

Hopkin, K. (2006). Singing in the bird brain. *Scientist*, **20**, 65-67.

Hosoi, S. A., Rothstein, S. I., O'Lochlen, A. L. & Sealy, S. G. (2005). Sexual preferences of female brown-headed cowbirds (*Molothrus ater*) for perched song repertoires. *Auk*, **122**, 82-93.

Huber, S. K. & Podos, J. (2006). Beak morphology and song features covary in a population of Darwin's finches (*Geospiza fortis*). *Biol. J. Linn. Soc.*, **88**, 489-498.

Huetz, C., Del Negro, C., Lehongre, K., Tarrow, P. & Edeline, J. M. (2004). The selectivity of canary HVC neurons for the bird's own song: Rate coding, temporal coding, or both? *J. Physiol. Paris*, **98**, 395-406.

Hyman, J. (2005). Seasonal variation in response to neighbors and strangers by a territorial songbird. *Ethology*, **111**, 951-961.

Hyman, J. & Hughes, M. (2006). Territory owners discriminate between aggressive and nonaggressive neighbours. *Anim. Behav.*, **72**, 209-215.

- Illes, A. E., Hall, M. L. & Vehrencamp, S. L. (2006). Vocal performance influences male receiver response in the banded wren. *Proc. R. Soc. B.*, **273**, 1907-1912.
- Isler, M. L., Isler, P. R., Brumfield, R. T. & Zink, R. M. (2005). Clinal variation in vocalizations of an antbird (Thamnophilidae) and implications for defining species limits. *Auk*, **122**, 433-444.
- Iwaniuk, A. N., Clayton, D. H. & Wylie, D. R. W. (2006). Echolocation, vocal learning, auditory localization and the relative size of the avian auditory midbrain nucleus (MLd). *Behav. Brain Res.*, **167**, 305-317.
- Iwaniuk, A. N., Koperski, D. T., Cheng, K. M., Elliott, J. E., Smith, L. K., Wilson, L. K. & Wylie, D. R. W. (2006). The effects of environmental exposure to DDT on the brain of a songbird: Changes in structures associated with mating and song. *Behav. Brain Res.*, **173**, 1-10.
- Janes, S. W. & Ryker, L. (2006). Singing of hermit warblers: dialects of type I songs. *Condor*, **108**, 336-347.
- Jansen, R., Metzdorf, R., van der Roest, M., Fusani, L., ter Maat, A. & Gahr, M. (2005). Melatonin affects the temporal organization of the song of the zebra finch. *FASEB J.*, **19**.
- Jarvis, E. D. (2004). Learned birdsong and the neurobiology of human language. *Ann. N. Y. Acad. Sci.*, **1016**, 749-777.
- Jensen, K. K. & Klokke, S. (2006). Hearing sensitivity and critical ratios of hooded crows (*Corvus corone cornix*). *J. Acoust. Soc. Am.*, **119**, 1269-1276.
- Jercoq, P. E., Trevisan, M. A. & Mindlin, G. B. (2005). Subharmonics in the solutions of a model of the song motor nuclei in songbirds. *Physica A.*, **356**, 145-150.
- Johannesen, L. E., Slagsvold, T. & Hansen, B. T. (2006). Effects of social rearing conditions on song structure and repertoire size: experimental evidence from the field. *Anim. Behav.*, **72**, 83-95.
- Johnson, F. & Whitney, O. (2005). Singing-driven gene expression in the developing songbird brain. *Physiol. Behav.*, **86**, 390-398.
- Johnson, S. L. (2006). Do American robins acquire songs by both imitating and inventing? *Wilson J. Ornithol.*, **118**, 341-352.
- Joseph, L., Wilke, T., Bermingham, E., Alpers, D. & Ricklefs, R. (2004). Towards a phylogenetic framework for the evolution of shakes, rattles, and rolls in *Myiarchus* tyrant-flycatchers (Aves: Passeriformes: Tyrannidae). *Mol. Phylogenet. Evol.*, **31**, 139-152.
- Kao, M. H. & Brainard, M. S. (2006). Lesions of an avian basal ganglia circuit prevent context-dependent changes to song variability. *J. Neurophysiol.*, **96**, 1441-1455.
- Kao, M. H., Doupe, A. J. & Brainard, M. S. (2005). Contributions of an avian basal

ganglia-forebrain circuit to real-time modulation of song. *Nature*, **433**, 638-643.

Katti, M. & Warren, P. S. (2004). Tits, noise and urban bioacoustics. *Trends Ecol. Evol.*, **19**, 109-120.

King, A. P., West, M. J. & Goldstein, M. H. (2005). Non-vocal shaping of avian song development: Parallels to human speech development. *Ethology*, **111**, 101-117.

Kipper, S., Mundry, R., Sommer, C., Hultsch, H. & Todt, D. (2006). Song repertoire size is correlated with body measures and arrival date in common nightingales, *Luscinia megarhynchos*. *Anim. Behav.*, **71**, 211-217.

Kittelberger, J. M. & Mooney, R. (2005). Acute injections of brain-derived neurotrophic factor in a vocal premotor nucleus reversibly disrupt adult birdsong stability and trigger syllable deletion. *J. Neurobiol.*, **62**, 406-424.

Kloubec, B. & Capek, M. (2005). Seasonal and diel budgets of song: a study of Savi's warbler (*Locustella luscinoides*). *J. Ornithol.*, **146**, 206-214.

Konishi, M. (2004). The role of auditory feedback in birdsong. *Ann. N. Y. Acad. Sci.*, **1016**, 463-475.

Kopuchian, C., Lijtmaer, D. A., Tubaro, P. L. & Handford, P. (2004). Temporal stability and change in a microgeographical pattern of song variation in the rufous-collared sparrow. *Anim. Behav.*, **68**, 551-559.

Krabbe, N. (2004). Pale-headed brush-finch *Atlapetes pallidiceps*: notes on population size, habitat, vocalizations, feeding, interference competition and conservation. *Bird. Conserv. Int.*, **14**, 77-86.

Krama, T. & Krams, I. (2005). Cost of mobbing call to breeding pied flycatcher, *Ficedula hypoleuca*. *Behav. Ecol.*, **16**, 37-40.

Krams, I., Krama, T. & Igaune, K. (2006). Alarm calls of wintering great tits *Parus major*: warning of mate, reciprocal altruism or a message to the predator? *J. Avian Biol.*, **37**, 131-136.

Kroodsma, D. (2005). *The Singing Life of Birds. The Art and Science of Listening to Birdsong*. Houghton Mifflin Company; Boston, New York.

Kruse, A. A., Stripling, R. & Clayton, D. F. (2004). Context-specific habituation of the zenk gene response to song in adult zebra finches. *Neurobiol. Learn. Mem.*, **82**, 99-108.

Kunc, H. P., Amrhein, V. & Naguib, M. (2005). Acoustic features of song categories and their possible implications for communication in the common nightingale (*Luscinia megarhynchos*). *Behaviour*, **142**, 1083-1097.

Kunc, H. P., Amrhein, V. & Naguib, M. (2005). Seasonal variation in dawn song characteristics in the common nightingale. *Anim. Behav.*, **70**, 1265-1271.

- Kunc, H. P., Amrhein, V. & Naguib, M. (2006). Vocal interactions in nightingales, *Luscinia megarhynchos*: more aggressive males have higher pairing success. *Anim. Behav.*, **72**, 25-30.
- Kunc, H. P., Foerster, K., Vermeirssen, E. L. M. & Kempenaers, B. (2006). Experimentally elevated plasma testosterone levels do not influence singing behaviour of male blue tits (*Parus caeruleus*) during the early breeding season. *Ethology*, **112**, 984-992.
- Kupke, M. F., Yazaki-Sugiyama, Y., Mooney, R. & Wild, J. M. (2005). Physiology of neuronal subtypes in the respiratory-vocal integration nucleus retroambiguus of the male zebra finch. *J. Neurophysiol.*, **94**, 2379-2390.
- Kwan, C., Ho, K. C., Mei, G., Li, Y., Ren, Z., Xu, R., Zhang, Y., Lao, D., Stevenson, M., Stanford, V. & Rochet, C. (2006). An automated acoustic system to monitor and classify birds. *Eurasip. J. Appl. Signal Proc.*, Art. no. 96706.
- Lachlan, R. F. & Servedio, M. R. (2004). Song learning accelerates allopatric speciation. *Evolution*, **58**, 2049-2063.
- Lachlan, R. F., Janik, V. M. & Slater, P. J. B. (2004). The evolution of conformity-enforcing behaviour in cultural communication systems. *Anim. Behav.*, **68**, 561-570.
- Laiolo, P. & Tella, J. L. (2005). Habitat fragmentation affects culture transmission: patterns of song matching in Dupont's lark. *J. Appl. Ecol.*, **42**, 1183-1193.
- Laiolo, P., Tella, J. L., Carrete, M., Serrano, D. & Lopez, G. (2004). Distress calls may honestly signal bird quality to predators. *Proc. R. Soc. B.*, **271**, S513-S515 (Suppl. 6).
- Langmore, N. E. (2002). Vocal duetting: definitions, discoveries and directions. *Trends Ecol. Evol.*, **17**, 451-452.
- Lauay, C., Gerlach, N. M., Adkins-Regan, E. & DeVoogd, T. J. (2004). Female zebra finches require early song exposure to prefer high-quality song as adults. *Anim. Behav.*, **68**, 1249-1255.
- Lauay, C., Komorowski, R. W., Beaudin, A. E. & DeVoogd, T. J. (2005). Adult female and male zebra finches show distinct patterns of spine deficits in an auditory area and in the song system when reared without exposure to normal adult song. *J. Comp. Neurol.*, **487**, 119-126.
- Leadbeater, E., Goller, F. & Riebel, K. (2005). Unusual phonation, covarying song characteristics and song preferences in female zebra finches. *Anim. Behav.*, **70**, 909-919.
- Leader, N., Wright, J., Yom-Tov, Y. & Nelson, D. A. (2005). Acoustic properties of two urban song dialects in the orange-tufted sunbird (*Nectarinia osea*). *Auk*, **122**, 231-245.
- Leavesley, A. J. & Magrath, R. D. (2005). Communicating about danger: urgency alarm calling in a bird. *Anim. Behav.*, **70**, 365-373.
- Leboucher, G. & Pallot, K. (2004). Is he all he says he is? Intersexual eavesdropping in the domestic canary, *Serinus canaria*. *Anim. Behav.*, **68**, 957-963.

- Lee, T. T. Y., Charrier, I., Bloomfield, L. L., Weisman, R. G. & Sturdy, C. B. (2006). Frequency-range discriminations and absolute pitch in black-capped chickadees (*Poecile atricapillus*), mountain chickadees (*Poecile gambeli*), and zebra finches (*Taeniopygia guttata*). *J. Comp. Psychol.*, **120**, 217-228.
- Leger, D. W. (2005). First documentation of combinatorial song syntax in a suboscine passerine species. *Condor*, **107**, 765-774.
- Lei, F. M., Wang, A. Z., Wang, G. & Yin, Z. H. (2005). Vocalizations of red-necked snow finch *Pyrgilauda ruficollis*, on the Tibetan Plateau, China - a syllable taxonomic signal? *Folia Zoologica*, **54**, 135-146.
- Leitao, A., ten Cate, C. & Riebel, K. (2006). Within-song complexity in a songbird is meaningful to both male and female receivers. *Anim. Behav.*, **71**, 1289-1296.
- Leitner, S. & Catchpole, C. K. (2004). Syllable repertoire and the size of the song control system in captive canaries (*Serinus canaria*). *J. Neurobiol.*, **60**, 21-27.
- Leitner, S., Marshall, R. C., Leisler, B. & Catchpole, C. K. (2006). Male song quality, egg size and offspring sex in captive canaries (*Serinus canaria*). *Ethology*, **112**, 554-563.
- Leitner, S., Voigt, C., Metzdorf, R. & Catchpole, C. K. (2005). Immediate early gene (ZENK, Arc) expression in the auditory forebrain of female canaries varies in response to male song quality. *J. Neurobiol.*, **64**, 275-284.
- Leonard, M. L. & Horn, A. G. (2005). Ambient noise and the design of begging signals. *Proc. R. Soc. B.*, **272**, 651-656.
- Leonard, M. L. & Horn, A. G. (2006). Age-related changes in signalling of need by nestling tree swallows (*Tachycineta bicolor*). *Ethology*, **112**, 1020-1026.
- Leonard, M. L., Horn, A. G. & Mukhida, A. (2005). False alarms and begging in nestling birds. *Anim. Behav.*, **69**, 701-708.
- Leonardo, A. & Fee, M. S. (2005). Ensemble coding of vocal control in birdsong. *J. Neurosci.*, **25**, 652-662.
- Li, M. & Greenside, H. (2006). Stable propagation of a burst through a one-dimensional homogeneous excitatory chain model of songbird nucleus HVC. *Phys. Rev.*, **E 74**, 011918.
- Lindenmayer, D. B., Cunningham, R. B. & Lindenmayer, B. D. (2004). Sound recording of bird vocalisations in forests. II. Longitudinal profiles in vocal activity. *Wildl. Res.*, **31**, 209-217.
- Liu, W.-C. & Kroodsma, D. E. (2006). Song learning by chipping sparrows: When, where, and from whom. *Condor*, **108**, 509-517.
- Liu, W.-C., Gardner, T. J. & Nottebohm, F. (2004). Juvenile zebra finches can use multiple strategies to learn the same song. *Proc. Natl. Acad. Sci. USA*, **101**, 18177-18182.

- Liu, W.-C. & Nottebohm, F. (2005). Variable rate of singing and variable song duration are associated with high immediate early gene expression in two anterior forebrain song nuclei. *Proc. Natl. Acad. Sci. USA*, **102**, 10724-10729.
- Logue, D. M. (2006). The duet code of the female black-bellied wren. *Condor*, **108**, 326-335.
- Logue, D. M. & Gammon, D. E. (2004). Duet song and sex roles during territory defence in a tropical bird, the black-bellied wren, *Thryothorus fasciatoventris*. *Anim. Behav.*, **68**, 721-731.
- Lohr, B., Dooling, R. J. & Bartone, S. (2006). The discrimination of temporal fine structure in call-like harmonic sounds by birds. *J. Comp. Psychol.*, **120**, 239-251.
- Lovell, S. F. & Lein, M. R. (2005). Individual recognition of neighbors by song in a subsocial bird, the alder flycatcher *Empidonax alnorum*. *Behav. Ecol. Sociobiol.*, **57**, 623-630.
- MacDonald, I. F., Kempster, B., Zanette, L. & MacDougall-Shackleton, S. A. (2006). Early nutritional stress impairs development of a song-control brain region in both male and female juvenile song sparrows (*Melospiza melodia*) at the onset of song learning. *Proc. R. Soc. B.*, **273**, 2559-2564.
- MacDougall-Shackleton, S. A., Ball, G. F., Edmonds, E., Sul, R. & Hahn, T. P. (2005). Age- and sex-related variation in song-control regions in Cassin's finches, *Carpodacus cassinii*. *Brain Behav. Evol.*, **65**, 262-267.
- Madden, J. R., Kilner, R. M. & Davies, N. B. (2005). Nestling responses to adult food and alarm calls: 1. Species-specific responses in two cowbird hosts. *Anim. Behav.*, **70**, 619-627.
- Madden, J. R., Kilner, R. M. & Davies, N. B. (2005). Nestling responses to adult food and alarm calls: 2. Cowbirds and red-winged blackbirds reared by eastern phoebe hosts. *Anim. Behav.*, **70**, 629-637.
- Magrath, R. D., Platzen, D. & Kondo, J. (2006). From nestling calls to fledgling silence: adaptive timing of change in response to aerial alarm calls. *Proc. R. Soc. B.*, **273**, 2335-2341.
- Mann, N. I., Barker, F. K., Graves, J. A., Dingess-Mann, K. A. & Slater, P. J. B. (2006). Molecular data delineate four genera of 'Thryothorus' wrens. *Mol. Phylogen. Evol.*, **40**, 750-759.
- Mann, N. I., Dingess, K. A. & Slater, P. J. B. (2006). Antiphonal four-part synchronized chorusing in a Neotropical wren. *Biology Lett.*, **2**, 1-4.
- Margoliash, D. (2004). Name that tune. *Nature*, **432**, 682-683.
- Margoliash, D. (2005). Song learning and sleep. *Nature Neurosci.*, **8**, 546-548.
- Marler, P. (2004). Bird calls: Their potential for behavioral neurobiology. *Ann. N. Y. Acad. Sci.*, **1016**, 31-44.
- Marler, P. & Slabbekoorn, H., eds. (2004). *Nature's Music. The Science of Birdsong*. Elsevier;

San Diego, California.

Marshall, R. C., Leisler, B., Catchpole, C. K. & Schwabl, H. (2005). Male song quality affects circulating but not yolk steroid concentrations in female canaries (*Serinus canaria*). *J. Exp. Biol.*, **208**, 4593-4598.

Marshall-Ball, L. & Slater, P. J. B. (2004). Duet singing and repertoire use in threat signalling of individuals and pairs. *Proc. R. Soc. B.*, **271**, S440-S443 (Suppl. 6).

Marshall-Ball, L., Mann, N. & Slater, P. J. B. (2006). Multiple functions to duet singing: hidden conflicts and apparent cooperation. *Anim. Behav.*, **71**, 823-831.

Matessi, G., McGregor, P. K., Peake, T. M. & Dabelsteen, T. (2005). Do male birds intercept and use rival courtship calls to adjust paternity protection behaviours? *Behaviour*, **142**, 507-524.

Mathevon, N., Dabelsteen, T. & Blumenrath, S. H. (2005). Are high perches in the blackcap *Sylvia atricapilla* song or listening posts? A sound transmission study. *J. Acoust. Soc. Am.*, **117**, 442-449.

Matyjasiak, P. (2005). Birds associate species-specific acoustic and visual cues: recognition of heterospecific rivals by male blackcaps. *Behav. Ecol.*, **16**, 467-471.

Mays, H. L., Yao, C. T. & Yuan, H. W. (2006). Antiphonal duetting in Steere's liocichla (*Liocichla steerii*): male song individuality and correlation between habitat and duetting behavior. *Ecol. Res.*, **21**, 311-314.

McNeil, R., McSween, A. & Lachapelle, P. (2005). Comparison of the retinal structure and function in four bird species as a function of the time they start singing in the morning. *Brain Behav. Evol.*, **65**, 202-214.

Mello, C. V., Velho, T. A. F. & Pinaud, R. (2004). Song-induced gene expression: A window on song auditory processing and perception. *Ann. N. Y. Acad. Sci.*, **1016**, 263-281.

Mennill, D. J. (2006). Aggressive responses of male and female rufous-and-white wrens to stereo duet playback. *Anim. Behav.*, **71**, 219-226.

Mennill, D. J. & Ratcliffe, L. M. (2004). Nest cavity orientation in black-capped chickadees *Poecile atricapillus*: do the acoustic properties of cavities influence sound reception in the nest and extra-pair matings? *J. Avian Biol.*, **35**, 477-482.

Mennill, D. J. & Rogers, A. C. (2006). Whip it good! Geographic consistency in male songs and variability in female songs of the duetting eastern whippbird *Psophodes olivaceus*. *J. Avian Biol.*, **37**, 93-100.

Mennill, D. J., Badyaev, A. V., Jonart, L. M. & Hill, G. E. (2006). Male house finches with elaborate songs have higher reproductive performance. *Ethology*, **112**, 174-180.

Mennill, D. J., Burt, J. M., Fristrup, K. M. & Vehrencamp, S. L. (2006). Accuracy of an

acoustic location system for monitoring the position of duetting songbirds in tropical forest. *J. Acoust. Soc. Am.*, **119**, 2832-2839.

Mennill, D. J., Vehrencamp, S. L. & Yasukawa, K. (2005). Sex differences in singing and duetting behavior of Neotropical rufous-and-white wrens (*Thryothorus rufalbus*). *Auk*, **122**, 175-186.

Merker, B. (2005). The conformal motive in birdsong, music, and language: An introduction. *Ann. N. Y. Acad. Sci.*, **1060**, 17-28.

Miller, G. (2005). Bird alarm calls size up predators. *Science*, **308**, 1853-1854.

Miller, J. L., Freed-Brown, S. G., White, D. J., King, A. P. & West, M. J. (2006). Developmental origins of sociality in brown-headed cowbirds (*Molothrus ater*). *J. Comp. Psychol.*, **120**, 229-238.

Miller, M. W. (2006). Apparent effects of light pollution on singing behavior of American robins. *Condor*, **108**, 130-139.

Mills, A. M., Rising, J. D. & Jackson, D. A. (2006). Conspecific attraction during establishment of least flycatcher clusters. *J. Field Ornithol.*, **77**, 34-38.

Mindlin, G. B. & Laje, R. (2005). *Physics of Birdsong*. Springer Verlag.

Molles, L. E. & Waas, J. R. (2006). Are two heads better than one? Responses of the duetting kokako to one- and two-speaker playback. *Anim. Behav.*, **72**, 131-138.

Molles, L. E., Hudson, J. D. & Waas, J. R. (2006). The mechanics of duetting in a New Zealand endemic, the kokako (*Callaeas cinerea wilsoni*): Song at a snail's pace. *Ethology*, **112**, 424-436.

Mooney, R. (2004). Synaptic mechanisms for auditory-vocal integration and the correction of vocal errors. *Ann. N. Y. Acad. Sci.*, **1016**, 476-494.

Mooney, R. & Prather, J. F. (2005). The HVC microcircuit: The synaptic basis for interactions between song motor and vocal plasticity pathways. *J. Neurosci.*, **25**, 1952-1964.

Mooney, R. & Spiro, J. E. (1997). Bird song: Of tone and tempo in the telencephalon. *Curr. Biol.*, **7**, R289-R291.

Moreno-Rueda, G. (2005). A trade-off between predation risk and sibling competition in the begging behavior of coal and great tits. *J. Field Ornithol.*, **76**, 390-394.

Morton, E. S., Howlett, J., Kopysh, N. C. & Chiver, I. (2006). Song ranging by incubating male blue-headed vireos: the importance of song representation in repertoires and implications for song delivery patterns and local/foreign dialect discrimination. *J. Field Ornithol.*, **77**, 291-301.

Mota, P. G. & Depraz, V. (2004). A test of the effect of male song on female nesting

behaviour in the serin (*Serinus serinus*): a field playback experiment. *Ethology*, **110**, 841-850.

Møller, A. P., Nielsen, J. T. & Garamszegi, L. Z. (2006). Song post exposure, song features, and predation risk. *Behav. Ecol.*, **17**, 155-163.

Nagel, K. I. & Doupe, A. J. (2006). Temporal processing and adaptation in the songbird auditory forebrain. *Neuron*, **51**, 845-859.

Naguib, M. & Kipper, S. (2006). Effects of different levels of song overlapping on singing behaviour in male territorial nightingales (*Luscinia megarhynchos*). *Behav. Ecol. Sociobiol.*, **59**, 419-426.

Naguib, M., Amrhein, V. & Kunc, H. P. (2004). Effects of territorial intrusions on eavesdropping neighbors: communication networks in nightingales. *Behav. Ecol.*, **15**, 1011-1015.

Nakagawa, S. & Waas, J. R. (2004). The effect of acoustic and visual priming stimuli on the reproductive behaviour of female zebra finches, *Taeniopygia guttata*. *Acta Ethol.*, **7**, 43-49.

Narayan, R., Grana, G. & Sen, K. (2006). Distinct time scales in cortical discrimination of natural sounds in songbirds. *J. Neurophysiol.*, **96**, 252-258.

Nealen, P. M. (2005). An interspecific comparison using immuno fluorescence reveals that synapse density in the avian song system is related to sex but not to male song repertoire size. *Brain Res.*, **1032**, 50-62.

Nelson, B. S., Beckers, G. J. L. & Suthers, R. A. (2005). Vocal tract filtering and sound radiation in a songbird. *J. Exp. Biol.*, **208**, 297-308.

Nelson, D. A. & Marler, P. (2005). Do bird nestmates learn the same songs? *Anim. Behav.*, **69**, 1007-1010.

Nelson, D. A., Hallberg, K. I. & Soha, J. A. (2004). Cultural evolution of Puget Sound white-crowned sparrow song dialects. *Ethology*, **110**, 879-908.

Nemeth, E. (2004). Measuring the sound pressure level of the song of the screaming piha *Lipaugus vociferans*: One of the loudest birds in the world? *Bioacoustics*, **14**, 225-228.

Nemeth, E., Dabelsteen, T., Pedersen, S. B. & Winkler, H. (2006). Rainforests as concert halls for birds: Are reverberations improving sound transmission of long song elements? *J. Acoust. Soc. Am.*, **119**, 620-626.

Newman, M. M., Yeh, P. J. & Price, T. D. (2006). Reduced territorial responses in dark-eyed juncos following population establishment in a climatically mild environment. *Anim. Behav.*, **71**, 893-899.

Nicholls, J. A. & Goldizen, A. W. (2006). Habitat type and density influence vocal signal design in satin bowerbirds. *J. Anim. Ecol.*, **75**, 549-558.

- Nicholls, J. A., Austin, J. J., Moritz, C. & Goldizen, A. W. (2006). Genetic population structure and call variation in a passerine bird, the satin bowerbird, *Ptilonorhynchus violaceus*. *Evolution*, **60**, 1279-1290.
- Nick, T. A. & Konishi, M. (2005). Neural song preference during vocal learning in the zebra finch depends on age and state. *J. Neurobiol.*, **62**, 231-242.
- Nick, T. A. & Konishi, M. (2005). Neural auditory selectivity develops in parallel with song. *J. Neurobiol.*, **62**, 469-481.
- Nickerson, C. M., Bloomfield, L. L., Dawson, M. R. W. & Sturdy, C. B. (2006). Artificial neural network discrimination of black-capped chickadee (*Poecile atricapillus*) call notes. *J. Acoust. Soc. Am.*, **120**, 1111-1117.
- Nixdorf-Bergweiler, B. E., von Bohlen und Halbach, V. (2004). Major sex differences in the development of myelination are prominent in song system nucleus HVC but not IMAN. *Anim. Biol.*, **54**, 27-43.
- Nocera, J. J., Forbes, G. J. & Giraldeau, L. A. (2006). Inadvertent social information in breeding site selection of natal dispersing birds. *Proc. R. Soc. B.*, **273**, 349-355.
- Nordeen, K. W. & Nordeen, E. J. (2004). Synaptic and molecular mechanisms regulating plasticity during early learning. *Ann. N. Y. Acad. Sci.*, **1016**, 416-437.
- Nottebohm, F. (2002). Birdsong's clockwork. *Nature Neurosci.*, **5**, 925-926.
- Nottebohm, F. (2004). The road we travelled: Discovery, choreography, and significance of brain replaceable neurons. *Ann. N. Y. Acad. Sci.*, **1016**, 628-658.
- Nowicki, S. & Searcy, M. (2004). Song function and the evolution of female preferences: Why birds sing and why brains matter. *Ann. N. Y. Acad. Sci.*, **1016**, 704-723.
- Nowicki, S. & Searcy, W. A. (2005). Song and mate choice in birds: How the development of behavior helps us understand function. *Auk*, **122**, 1-14.
- Okanoya, K. (2004). Song syntax in bengalese finches: Proximate and ultimate analyses. *Adv. Study Behav.*, **34**, 297-346.
- Okanoya, K. (2004). The Bengalese finch: A window on the behavioral neurobiology of birdsong syntax. *Ann. N. Y. Acad. Sci.*, **1016**, 724-735.
- Olveczky, B. P., Andalman, A. S. & Fee, M. S. (2005). Vocal experimentation in the juvenile songbird requires a basal ganglia circuit. *PLOS Biol.*, **3**, 902-909.
- Oort, H. van, Otter, K. A., Fort, K. T. & Holschuh, C. I. (2006). Habitat quality, social dominance and dawn chorus song output in black-capped chickadees. *Ethology*, **112**, 772-778.
- Osiejuk, T., Ratynsky, K., Cygan, J. & Dale, S. (2005). Frequency shift homologue syllables of the ortolan bunting *Emberiza hortulana*. *Behav. Processes*, **68**, 69-83.

- Osorno, J. L., Morales, J., Moreno, J., Merino, S., Tomas, G. & Vasquez, R. A. (2006). Evidence for differential maternal allocation to eggs in relation to manipulated male attractiveness in the pied flycatcher (*Ficedula hypoleuca*). *J. Ornithol.*, **147**, 605-611.
- Paeckert, M. (2006). Song dialects as diagnostic characters - acoustic differentiation of the Canary Island goldcrest subspecies *Regulus regulus teneriffae* Seebohm 1883 and *R. r. ellenthalerae* Paeckert et al. 2006 (Aves: Passeriformes: Regulidae). *Zootaxa*, **1325**, 99-115.
- Paeckert, M., Dietzen, C., Martens, J., Wink, M. & Kvist, L. (2006). Radiation of Atlantic goldcrests *Regulus regulus* spp.: evidence of a new taxon from the Canary Islands. *J. Avian Biol.*, **37**, 364-380.
- Paeckert, M. & Martens, J. (2004). Song dialects on the Atlantic islands: goldcrests of the Azores (*Regulus regulus azoricus*, *R. r. sanctae-mariae*, *R. r. inermis*). *J. Ornithol.*, **145**, 23-30.
- Paeckert, M., Martens, J., Sun, Y.-H. & Veith, M. (2004). The radiation of the *Seicercus burkii* complex and its congeners (Aves: Sylviidae): molecular genetics and bioacoustics. *Organisms Diversity Evolution*, **4**, 341-364.
- Parchman, T. L., Benkman, C. W. & Britch, S. C. (2006). Patterns of genetic variation in the adaptive radiation of New World crossbills (Aves: *Loxia*). *Molec. Ecol.*, **15**, 1873-1887.
- Parker, T. H., Barr, I. R. & Griffith, S. C. (2006). The blue tit's song is an inconsistent signal of male condition. *Behav. Ecol.*, **17**, 1029-1040.
- Patricelli, G. L. & Blickley, J. (2006). Avian communication in urban noise: causes and consequences of vocal adjustment. *Auk*, **123**, 639-649.
- Patten, M. A., Rotenberry, J. T. & Zuk, M. (2004). Habitat selection, acoustic adaptation, and the evolution of reproductive isolation. *Evolution*, **58**, 2144-2155.
- Pavlova, D., Pinxten, R. & Eens, M. (2005). Female song in European starlings: Sex differences, complexity, and composition. *Condor*, **107**, 559-569.
- Payne, R. B. & Sorenson, M. D. (2006). Song lines. *Natural History*, **115**, 41.
- Payne, R. B., Barlow, C. R., Balakrishnan, C. N. & Sorenson, M. D. (2005). Song mimicry of black-bellied firefinch *Lagonosticta rara* and other finches by the brood-parasitic Cameroon indigobird *Vidua camerunensis* in West Africa. *Ibis*, **147**, 130-143.
- Peake, T. M., Matessi, G., McGregor, P. K. & Dabelsteen, T. (2005). Song type matching, song type switching and eavesdropping in male great tits. *Anim. Behav.*, **69**, 1063-1068.
- Perkel, D. J. (2004). Origin of the anterior forebrain pathway. *Ann. N. Y. Acad. Sci.*, **1016**, 736-748.
- Phan, M. L., Pytte, C. L. & Vicario, D. S. (2006). Early auditory experience generates long-lasting memories that may subserve vocal learning in songbirds. *Proc. Natl. Acad. Sci.*

USA, **103**, 1088-1093.

Phillmore, L. S., Bloomfield, L. L. & Weisman, R. G. (2003). Effects of songs and calls on ZENK expression in the auditory telencephalon of field- and isolate-reared black-capped chickadees. *Behav. Brain Res.*, **147**, 125-134.

Phillmore, L. S., Hoshoooley, J. S., Hahn, T. P. & MacDougall-Shackleton, S. A. (2005). A test of absolute photorefractoriness and photo-induced neural plasticity of song-control regions in black-capped chickadees (*Poecile atricapillus*). *Can. J. Zool.*, **83**, 747-753.

Phillmore, L. S., Hoshoooley, J. S., Sherry, D. F. & MacDougall-Shackleton, S. A. (2006). Annual cycle of the black-capped chickadee: Seasonality of singing rates and vocal-control brain regions. *J. Neurobiol.*, **66**, 1002-1010.

Pinaud, R., Fortes, A. F., Lovell, P. & Mello, C. V. (2006). Calbindin-positive neurons reveal a sexual dimorphism within the songbird analogue of the mammalian auditory cortex. *J. Neurobiol.*, **66**, 182-195.

Platzen, D. & Magrath, R. D. (2005). Adaptive differences in response to two types of parental alarm call in altricial nestlings. *Proc. R. Soc. B.*, **272**, 1101-1106.

Podos, J. & Nowicki, S. (2004). Beaks, adaptation, and vocal evolution in Darwin's finches. *BioScience*, **54**, 501-510.

Podos, J., Huber, S. K. & Taft, B. (2004). Bird song: The interface of evolution and mechanism. *Ann. Rev. Ecol. Evol. Syst.*, **35**, 55-87.

Podos, J., Peters, S. & Nowicki, S. (2004). Calibration of song learning targets during vocal ontogeny in swamp sparrows, *Melospiza georgiana*. *Anim. Behav.*, **68**, 929-940.

Poesel, A. & Dabelsteen, T. (2005). Territorial responses of male blue tits to simulated dynamic intrusions: effects of song overlap and intruder location. *Anim. Behav.*, **70**, 1419-1427.

Poesel, A., Dabelsteen, T. & Pedersen, S. B. (2004). Dawn song of male blue tits as a predictor of competitiveness in midmorning singing interactions. *Acta Ethol.*, **6**, 65-71.

Poesel, A., Kunc, H. P., Foerster, K., Johnsen, A. & Kempenaers, B. (2006). Early birds are sexy: male age, dawn song and extrapair paternity in blue tits, *Cyanistes* (formerly *Parus*) *caeruleus*. *Anim. Behav.*, **72**, 531-538.

Poirier, C., Henry, L., Mathelier, M., Lumineau, S., Cousillas, H. & Hausberger, M. (2004). Direct social contacts override auditory information in the song-learning process in starlings (*Sturnus vulgaris*). *J. Comp. Psychol.*, **118**, 179-193.

Portelli, D. J. (2004). The singing behaviour of the noisy scrub-bird, *Atrichornis clamosus*: congeneric comparisons and the feasibility of using individual variation in song as a census tool. *Emu*, **104**, 273-281.

- Post, P. & Goetmark, F. (2006). Predation by sparrowhawks *Accipiter nisus* on male and female pied flycatchers *Ficedula hypoleuca* in relation to their breeding behaviour and foraging. *J. Avian Biol.*, **37**, 158-168.
- Prather, J. F. & Mooney, R. (2004). Neural correlates of learned song in the avian forebrain: simultaneous representation of self and others. *Curr. Opin. Neurobiol.*, **14**, 496-502.
- Price, J. J., Earnshaw, S. M. & Webster, M. S. (2006). Montezuma oropendolas modify a component of song constrained by body size. *Anim. Behav.*, **71**, 799-807.
- Putland, D. A., Nicholls, J. A., Noad, M. J. & Goldizen, A. W. (2006). Imitating neighbours: vocal dialect matching in a mimic-model system. *Biology Lett.*, **2**, 367-370.
- Qvarnstrom, A., Haavie, J., Saether, S. A., Eriksson, D. & Paert, T. (2006). Song similarity predicts hybridization in flycatchers. *J. Evol. Biol.*, **19**, 1202-1209.
- Reid, J. M., Arcese, P., Cassidy, A. L. E. V., Hiebert, S. M., Smith, J. N. M., Stoddard, P. K., Marr, A. B. & Keller, L. F. (2004). Song repertoire size predicts initial mating success in male song sparrows, *Melospiza melodia*. *Anim. Behav.*, **68**, 1055-1063.
- Reid, J. M., Arcese, P., Cassidy, A. L. E. V., Marr, A. B., Smith, J. N. M. & Keller, L. F. (2005). Hamilton and Zuk meet heterozygosity? Song repertoire size indicates inbreeding and immunity in song sparrows (*Melospiza melodia*). *Proc. R. Soc. B.*, **272**, 481-487.
- Reid, J. M., Arcese, P., Cassidy, A., Hiebert, S. M., Smith, J. N. M., Stoddard, P. K., Marr, A. B. & Keller, L. F. (2005). Fitness correlates of song repertoire size in free-living song sparrows (*Melospiza melodia*). *Am. Nat.*, **165**, 299-310.
- Reiner, A., Perkel, D. J., Mello, C. V. & Jarvis, E. D. (2004). Songbirds and the revised avian brain nomenclature. *Ann. N. Y. Acad. Sci.*, **1016**, 77-108.
- Rempel, R. S., Hobson, K. A., Holborn, G., Van Wilgenburg, S. L. & Elliott, J. (2005). Bioacoustic monitoring of forest songbirds: interpreter variability and effects of configuration and digital processing methods in the laboratory. *J. Field Ornithol.*, **76**, 1-11.
- Riebel, K., Hall, M. L. & Langmore, N. E. (2005). Female songbirds still struggling to be heard. *Trends Ecol. Evol.*, **20**, 419-420.
- Riede, T., Suthers, R. A., Fletcher, N. H. & Blevins, W. E. (2006). Songbirds tune their vocal tract to the fundamental frequency of their song. *Proc. Natl. Acad. Sci. USA*, **103**, 5543-5548.
- Rios Chelen, A. A., Garcia, C. M. & Riebel, K. (2005). Variation in the song of a sub-oscine, the vermilion flycatcher. *Behaviour*, **142**, 1115-1132.
- Rios-Chelen, A. A. & Macias-Garcia, C. (2004). Flight display song of the vermilion flycatcher. *Wilson Bull.*, **116**, 360-362.
- Riters, L. V., Schroeder, M. B., Auger, C. J., Eens, M., Pinxten, R. & Ball, G. F. (2005). Evidence for opioid involvement in the regulation of song production in male European

- starlings (*Sturnus vulgaris*). *Behav. Neurosci.*, **119**, 245-255.
- Riters, L. V., Teague, D. P., Schroeder, M. B. & Cummings, S. E. (2004). Vocal production in different social contexts relates to variation in immediate early gene immunoreactivity within and outside of the song control system. *Behav. Brain Res.*, **155**, 307-318.
- Rogers, A. C. (2005). Male and female song structure and singing behaviour in the duetting eastern whipbird, *Psophodes olivaceus*. *Austr. J. Zool.*, **53**, 157-166.
- Rogers, A. C., Mulder, R. A. & Langmore, N. E. (2006). Duet duels: sex differences in song matching in duetting eastern whipbirds. *Anim. Behav.*, **72**, 53-61.
- Rogers, C. M. (2006). Nesting success and breeding biology of cerulean warblers in Michigan. *Wilson J. Ornithol.*, **118**, 145-151.
- Rogers, D. J. & Paton, D. C. (2005). Acoustic identification of individual rufous bristlebirds, a threatened species with complex song repertoires. *Emu*, **105**, 203-210.
- Roper, A. & Zann, R. (2006). The onset of song learning and song tutor selection in fledgling zebra finches. *Ethology*, **112**, 458-470.
- Roper, J. J. (2005). Sexually distinct songs in the duet of the sexually monomorphic rufous hornero. *J. Field Ornithol.*, **76**, 234-236.
- Rose, G. J., Goller, F., Gritton, H. J., Plamondon, S. L., Baugh, A. T. & Cooper, B. G. (2004). Species-typical songs in white-crowned sparrows tutored with only phrase pairs. *Nature*, **432**, 753-758.
- Rosen, M. J. & Mooney, R. (2006). Synaptic interactions underlying song-selectivity in the avian nucleus HVC revealed by dual intracellular recordings. *J. Neurophysiol.*, **95**, 1158-1175.
- Ruegg, K., Slabbekoorn, H., Clegg, S. & Smith, T. B. (2006). Divergence in mating signals correlates with ecological variation in the migratory songbird, Swainson's thrush (*Catharus ustulatus*). *Mol. Ecol.*, **15**, 3147-3156.
- Runciman, D., Zann, R. A. & Murray, N. D. (2005). Geographic and temporal variation of the male zebra finch distance call. *Ethology*, **111**, 367-379.
- Ryan, P. G., Sinclair, I., Cohen, C., Mills, M. S. L., Spottiswoode, C. N. & Cassidy, R. (2004). The conservation status and vocalizations of threatened birds from the scarp forests of the Western Angola endemic bird area. *Bird Conserv. Int.*, **14**, 247-260.
- Sadananda, M. (2004). Acetylcholinesterase in central vocal control nuclei of the zebra finch (*Taeniopygia guttata*). *J. Biosci.*, **29**, 189-200.
- Sakata, J. T. & Brainard, M. S. (2006). Real-time contributions of auditory feedback to avian vocal motor control. *J. Neurosci.*, **26**, 9619-9628.

- Sanchez, C. (2005). First description of the nest and eggs of the slaty finch (*Haplospiza rustica*) and observations on song and breeding behavior. *Ornit. Neotrop.*, **16**, 493-501.
- Sartor, J. J. & Ball, G. F. (2005). Social suppression of song is associated with a reduction in volume of a song-control nucleus in European starlings (*Sturnus vulgaris*). *Behav. Neurosci.*, **119**, 233-244.
- Sartor, J. J., Balthazart, J. & Ball, G. F. (2005). Coordinated and dissociated effects of testosterone on singing behavior and song control nuclei in canaries (*Serinus canaria*). *Horm. Behav.*, **47**, 467-476.
- Sasahara, K. & Ikegami, T. (2005). Evolution of song communication in a 2D space. *Adv. Artif. Life, Proc. Lecture Notes AI*, **3630**, 835-844.
- Sasaki, A., Sotnikova, T. D., Gainetdinov, R. R. & Jarvis, E. D. (2006). Social context-dependent singing-regulated dopamine. *J. Neurosci.*, **26**, 9010-9014.
- Sawhney, M. H., Baker, M. C. & Bisbee, B. R. (2006). Development of vocalisations in nestling and fledgling house wrens in natural populations. *Bioacoustics*, **15**, 271-287.
- Scharff, C. & White, S. A. (2004). Genetic components of vocal learning. *Ann. N. Y. Acad. Sci.*, **1016**, 325-347.
- Schlinger, B. A. & London, S. E. (2006). Neurosteroids and the songbird model system *J. Exp. Zool. A.*, **305A**, 743-747.
- Schmidt, K. A. (2006). Non-additivity among multiple cues of predation risk: a behaviorally-driven trophic cascade between owls and songbirds. *Oikos*, **113**, 82-90.
- Schmidt, M. F., Ashmore, R. C. & Vu, E. T. (2004). Bilateral control and interhemispheric coordination in the avian song motor system. *Ann. N. Y. Acad. Sci.*, **1016**, 171-186.
- Schroeder, M. B. & Riters, L. V. (2006). Pharmacological manipulations of dopamine and opioids have differential effects on sexually motivated song in male European starlings. *Physiol. Behav.*, **88**, 575-584.
- Searcy, W. A. & Nowicki, S. (2006). Signal interception and the use of soft song in aggressive interactions. *Ethology*, **112**, 865-872.
- Searcy, W. A., Anderson, R. C. & Nowicki, S. (2006). Bird song as a signal of aggressive intent. *Behav. Ecol. Sociobiol.*, **60**, 234-241.
- Seddon, N. (2005). Ecological adaptation and species recognition drives vocal evolution in neotropical suboscine birds. *Evolution*, **59**, 200-215.
- Seddon, N. & Tobias, J. A. (2006). Duets defend mates in a suboscine passerine, the warbling antbird (*Hypocnemis cantator*). *Behav. Ecol.*, **17**, 73-83.
- Sharp, S. P. & Hatchwell, B. J. (2005). Individuality in the contact calls of cooperatively

- breeding long-tailed tits (*Aegithalos caudatus*). *Behaviour*, **142**, 1559-1575.
- Sharp, S. P. & Hatchwell, B. J. (2006). Development of family specific contact calls in the long-tailed tit *Aegithalos caudatus*. *Ibis*, **148**, 649-656.
- Sharp, S. P., McGowan, A., Wood, M. J. & Hatchwell, B. J. (2005). Learned kin recognition cues in a social bird. *Nature*, **434**, 1127-1130.
- Silva, H. G. de, Marantz, C. A. & Perez-Villafana, M. (2004). Song in female *Hylorchilus* wrens. *Wilson Bull.*, **116**, 186-188.
- Singh, T. D., Nordeen, E. J. & Nordeen, K. W. (2005). Song tutoring triggers CaMKII phosphorylation within a specialized portion of the avian basal ganglia. *J. Neurobiol.*, **65**, 179-191.
- Slabbekoorn, H. (2004). Habitat-dependent ambient noise: Consistent spectral profiles in two African forest types. *J. Acoust. Soc. Am.*, **116**, 3727-3733.
- Smulders, T. V., Lisi, M. D., Tricoli, E., Otter, K. A., Chruszcz, B., Ratcliffe, L. M. & DeVoogd, T. J. (2006). Failure to detect seasonal changes in the song system nuclei of the black-capped chickadee (*Poecile atricapillus*). *J. Neurobiol.*, **66**, 991-1001.
- Sockman, K. W., Sewall, K. B., Ball, G. F. & Hahn, T. P. (2005). Economy of mate attraction in the Cassin's finch. *Biology Lett.*, **1**, 34-37.
- Soderstrom, K. & Tian, Q. (2006). Developmental pattern of CB1 cannabinoid receptor immunoreactivity in brain regions important to zebra finch (*Taeniopygia guttata*) song learning and control. *J. Comp. Neurol.*, **496**, 739-758.
- Soha, J. A., Nelson, D. A. & Parker, P. G. (2004). Genetic analysis of song dialect populations in Puget Sound white-crowned sparrows. *Behav. Ecol.*, **15**, 636-646.
- Solis, M. M. & Perkel, D. J. (2005). Rhythmic activity in a forebrain vocal control nucleus in vitro. *J. Neurosci.*, **25**, 2811-2822.
- Solis M. M. & Perkel, D. J. (2006). Noradrenergic modulation of activity in a vocal control nucleus in vitro. *J. Neurophysiol.*, **95**, 2265-2276.
- Spencer, K. A., Buchanan, K. L., Leitner, S., Goldsmith, A. R. & Catchpole, C. K. (2005). Parasites affect song complexity and neural development in a songbird. *Proc. R. Soc. B.*, **272**, 2037-2043.
- Spencer, K. A., Wimpenny, J. H., Buchanan, K. L., Lovell, P. G., Goldsmith, A. R. & Catchpole, C. K. (2005). Developmental stress affects the attractiveness of male song and female choice in the zebra finch (*Taeniopygia guttata*). *Behav. Ecol. Sociobiol.*, **58**, 423-428.
- Spiro, J. (2005). Stitching together a song memory. *Nature Rev. Neurosci.*, **6**, 8-9.
- Sturdy, C. B. & Weisman, R. G. (2006). Rationale and methodology for testing auditory

cognition in songbirds. *Behav. Processes*, **72**, 265-272.

Summers, R. W. & Jardine, D. C. (2005). Vocal similarities between Mediterranean and north European pine crossbills *Loxia* spp. *Ardeola*, **52**, 269-278.

Suthers, R. A. & Zollinger, S. A. (2004). Producing song: The vocal apparatus. *Ann. N. Y. Acad. Sci.*, **1016**, 109-129.

Suthers, R. A., Vallet, E., Tanvez, A. & Kreuzer, M. (2004). Bilateral song production in domestic canaries. *J. Neurobiol.*, **60**, 381-393.

Tack, E. J., Putland, D. A., Robson, T. E. & Goldizen, A. W. (2005). Geographic variation in vocalisations of satin bowerbirds, *Ptilonorynchus violaceus*, in south-eastern Queensland. *Emu*, **105**, 27-31.

Takahasi, M., Ikebuchi, M. & Okanoya, K. (2005). Spatiotemporal properties of visual stimuli for song induction in Bengalese finches. *Neuroreport*, **16**, 1339-1343.

Tanttu, J. T., Turunen, J., Selin, A. & Ojanen, M. (2006). Automatic feature extraction and classification of crossbill (*Loxia* spp.) flight calls. *Bioacoustics*, **15**, 251-269.

Tchernichovski, O., Lints, T. J., Deregnaucour, S., Cimenser, A. & Mitra, P. P. (2004). Studying the song development process: Rationale and methods. *Ann. N. Y. Acad. Sci.*, **1016**, 348-363.

Templeton, C. N., Greene, E. & Davis, K. (2005). Allometry of alarm calls: Black-capped chickadees encode information about predator size. *Science*, **308**, 1934-1937.

Teramitsu, I. & White, S. A. (2006). FoxP2 regulation during undirected singing in adult songbirds. *J. Neurosci.*, **26**, 7390-7394.

Terpstra, N. J., Bolhuis, J. J., Riebel, K., van der Burg, J. M. M. & den Boer-Visser, A. M. (2006). Localized brain activation specific to auditory memory in a female songbird. *J. Comp. Neurol.*, **494**, 784-791.

Theunissen, F. E. & Shaevitz, S. S. (2006). Auditory processing of vocal sounds in birds. *Curr. Opin. Neurobiol.*, **16**, 400-407.

Theunissen, F. E., Woolley, S. M. N., Hsu, A. & Fremouw, T. (2004). Methods for the analysis of auditory processing in the brain. *Ann. N. Y. Acad. Sci.*, **1016**, 187-207.

Tietze, D. T., Martens, J. & Sun, Y.-H. (2006). Molecular phylogeny of treecreepers (*Certhia*) detects hidden diversity. *Ibis*, **148**, 477-488.

Tindemans, I., Bournans, T., Verhoye, M. & Van der Linden, A. (2006). Ir-SE and IR-MEMRI allow in vivo visualization of oscine neuroarchitecture including the main forebrain regions of the song control system. *NMR Biomedic.*, **19**, 18-29.

Tobari, Y., Nakamura, K. Z. & Okanoya, K. (2006). Sex differences in the telencephalic song

control circuitry in Bengalese finches (*Lonchura striata* var. *domestica*). *Zool. Sci.*, **22**, 1089-1094.

Tomaszycki, M. L. & Adkins-Regan, E. (2005). Experimental alteration of male song quality and output affects female mate choice and pair bond formation in zebra finches. *Anim. Behav.*, **70**, 785-794.

Tomaszycki, M. L. & Adkins-Regan, E. (2006). Is male song quality important in maintaining pair bonds? *Behaviour*, **143**, 549-567.

Tomaszycki, M. L., Banerjee, S. B. & Adkins-Regan, E. (2006). The role of sex steroids in courtship, pairing and pairing behaviors in the socially monogamous zebra finch. *Horm. Behav.*, **50**, 141-147.

Tomaszycki, M. L., Sluzas, E. M., Sundberg, K. A., Newman, S. W. & DeVoogd, T. J. (2006). Immediate early gene (ZENK) responses to song in juvenile female and male zebra finches: Effects of rearing environment. *J. Neurobiol.*, **66**, 1175-1182.

Trevisan, M. A., Mendez, J. M. & Mindlin, G. B. (2006). Respiratory patterns in oscine birds during normal respiration and song production. *Phys. Rev.*, **E73**, 061911.

Trillo, P. A. & Vehrencamp, S. L. (2005). Song types and their structural features are associated with specific contexts in the banded wren. *Anim. Behav.*, **70**, 921-935.

Tu, H. W. & Severinghaus, L. L. (2004). Geographic variation of the highly complex hwamei (*Garrulax canorus*) songs. *Zool. Stud.*, **43**, 629-640.

Tubaro, P. L. & Lijtmaer, D. A. (2006). Environmental correlates of song structure in forest grosbeaks and saltators. *Condor*, **108**, 120-129.

Turner, W. C. & Barber, C. A. (2004). Male song sparrows *Melospiza melodia* do not announce their female's fertility. *J. Avian Biol.*, **35**, 483-386.

Vallejo, E. E. & Taylor, C. E. (2005). Interactions between learning and evolution in simulated avian communication. *Lecture Notes in AI*, **3630**, 634-643.

Van Meir, V., Pavlova, D., Verhoye, M., Pinxten, R., Balthazart, J., Eens, M. & Van der Linden, A. (2006). In vivo MR imaging of the seasonal volumetric and functional plasticity of song control nuclei in relation to song output in a female songbird. *Neuroimage*, **31**, 981-992.

Veney, S. L. & Wade, J. (2005). Post-hatching syrinx development in the zebra finch: an analysis of androgen receptor, aromatase, estrogen receptor α and estrogen receptor β mRNAs. *J. Comp. Physiol. A.*, **191**, 97-104.

Vicario, D. S. (2004). Using learned calls to study sensory-motor integration in songbirds. *Ann. N. Y. Acad. Sci.*, **1016**, 246-262.

Vignal, C., Attia, J., Mathevon, N. & Beauchaud, M. (2004). Background noise does not modify genic activation in the bird song-induced brain. *Behav. Brain Res.*, **153**, 241-248.

- Voigt, C., Leitner, S. & Gahr, M. (2006). Repertoire and structure of duet and solo songs in cooperatively breeding white-browed sparrow weavers. *Behaviour*, **143**, 159-182.
- Voigt, C., Metzdorf, R. & Gahr, M. (2004). Differential expression pattern and steroid hormone sensitivity of SNAP-25 and synaptophysin mRNA in the telencephalic song control nucleus HVC of the zebra finch. *J. Comp. Neurol.*, **475**, 83-94.
- Vondrasek, J. R. (2006). Social factors affect the singing rates of female northern cardinals *Cardinalis cardinalis*. *J. Avian Biol.*, **37**, 52-57.
- Waas, J. R., Colgan, P. W. & Boag, P. T. (2005). Playback of colony sound alters the breeding schedule and clutch size in zebra finch (*Taeniopygia guttata*) colonies. *Proc. R. Soc. B.*, **272**, 383-388.
- Wada, K., Sakaguchi, H., Jarvis, E. D. & Hagiwara, M. (2004). Differential expression of glutamate receptors in avian neural pathways for learned vocalization. *J. Comp. Neurol.*, **476**, 44-64.
- Wade, J. & Arnold, A. P. (2004). Sexual differentiation of the zebra finch song system. *Ann. N. Y. Acad. Sci.*, **1016**, 540-559.
- Wang, A. Z., Lei, F. M., Yin, Z. H., Kristin, A. & Kanuch, P. (2005). Song pattern of black redstart populations in the Tibet Plateau: an intercontinental comparison. *Folia Zoologica*, **54**, 301-315.
- Ward, S. & Slater, P. J. B. (2005). Raised thermoregulatory costs at exposed song posts increase the energetic cost of singing for willow warblers *Phylloscopus trochilus*. *J. Avian Biol.*, **36**, 280-286.
- Ward, S. & Slater, P. J. B. (2005). Heat transfer and the energetic cost of singing by canaries *Serinus canaria*. *J. Comp. Physiol. A.*, **191**, 953-964.
- Watanabe, A., Li, R., Kimura, T. & Sakaguchi, H. (2006). Lesions of an avian forebrain nucleus prevent changes in protein kinase C levels associated with deafening-induced vocal plasticity in adult songbirds. *Eur. J. Neurosci.*, **23**, 2447-2457.
- Watanabe, S., Yamamoto, E. & Uozumi, M. (2006). Language discrimination by Java sparrows. *Behav. Processes*, **73**, 114-116.
- Webb, D. M. & Zhang, J. (2005). FoxP2 in song-learning birds and vocal-learning mammals. *J. Heredity*, **96**, 212-216.
- Weisman, R. & Ratcliffe, L. (2004). Relative pitch and the song of black-capped chickadees. *Amer. Scientist*, **92**, 532-539.
- White, D. J., Gros-Louis, J., King, A. P. & West, M. J. (2006). A method to measure the development of song preferences in female cowbirds, *Molothrus ater*. *Anim. Behav.*, **72**, 181-188.

- Wickler, W., Seibt, U. & Schmidl, D. (2006). Song differences between populations of seven subspecies of the African forest weaver *Ploceus bicolor* Vieillot (Aves: Passeriformes). *J. Ornithol.*, **147**, 87-96.
- Wilbrecht, L. & Kirn, J. R. (2004). Neuron addition and loss in the song system: Regulation and function. *Ann. N. Y. Acad. Sci.*, **1016**, 659-683.
- Wilbrecht, L. & Nottebohm, F. (2004). Age and experience affect the recruitment of new neurons to the song system of zebra finches during the sensitive period for song learning - Ditto for vocal learning in humans? *Ann. N. Y. Acad. Sci.*, **1021**, 404-409.
- Wilbrecht, L., Williams, H., Gangadhar, N. & Nottebohm, F. (2006). High levels of new neuron addition persist when the sensitive period for song learning is experimentally prolonged. *J. Neurosci.*, **26**, 9135-9141.
- Wild, J. M. (2004). Functional neuroanatomy of the sensorimotor control of singing. *Ann. N. Y. Acad. Sci.*, **1016**, 438-462.
- Wiley, R. H. (2005). Individuality in songs of Acadian flycatchers and recognition of neighbours. *Anim. Behav.*, **70**, 237-247.
- Williams, H. (2004). Birdsong and singing behavior. *Ann. N. Y. Acad. Sci.*, **1016**, 1-30.
- Wood, W. E. & Yezerinac, S. M. (2006). Song sparrow (*Melospiza melodia*) song varies with urban noise. *Auk*, **123**, 650-659.
- Woolley, S. M. N., Gill, P. R. & Theunissen, F. E. (2006). Stimulus-dependent auditory tuning results in synchronous population coding of vocalizations in the songbird midbrain. *J. Neurosci.*, **26**, 2499-2512.
- Wright, T. F., Brittan-Powell, E. F., Dooling, R. J. & Mundinger, P. C. (2004). Sex-linked inheritance of hearing and song in the Belgian waterslager canary. *Proc. R. Soc. B.*, **271**, S409-S412 (Suppl. 6).
- Yorzinski, J. L., Vehrencamp, S. L., Clark, A. B. & McGowan, K. J. (2006). The inflected alarm caw of the American crow: Differences in acoustic structure among individuals and sexes. *Condor*, **108**, 518-529.
- Zaccarelli, R., Elemans, C. P. H., Fitch, W. T. & Herzel, H. (2006). Modelling bird songs: Voice onset, overtones and registers. *Acustica*, **92**, 741-748.
- Zeigler, H. P. & Marler, P. (eds.) (2004). Behavioral Neurobiology of Birdsong. *Ann. N. Y. Acad. Sci.*, **1016**.
- Zevin, J. D., Seidenberg, M. S. & Bottjer, S. W. (2004). Limits on reacquisition of song in adult zebra finches exposed to white noise. *J. Neurosci.*, **24**, 5849-5862.
- Zvonov, B. M. (2004). Principles of acoustic communication between man and birds. *Biol. Bull.*, **31**, 151-158.

Zvonov, B. M. (2004). Acoustic image of common rosefinch *Carpodacus erythrinus* (Pall.). *Biol. Bull.*, **31**, 461-464.

Zvonov, B. M. (2005). Acoustic image of yellow-breasted bunting *Emberiza aureola* Pall. *Biol. Bull.*, **32**, 467-472.

Zysman, D., Mendez, J. M., Pando, B., Aliaga, J., Goller, F. & Mindlin, G. B. (2005). Synthesizing bird song. *Physical Review*, **E 72**, Art. No. 051926.